Index

Subject

acaricides in house dust mite-triggered atopic dermatitis (Review), 1
acitretin
in combination with PUVA in psoriasis, 587
following transplantation (Paper Summary) Suppl. 50, 23
acne
antibiotic-resistant propionibacteria in (Paper Summary) Suppl. 50, 27
assessment of therapy outcome, 563
in the elderly (Paper Summary) Suppl. 50, 41
intermittent isotretinoin in (Concise Communication), 106
post-adolescent and marital break-up (Correspondence), 478
prevalence in adults (Poster Summary) Suppl. 50, 40
psychological and social impact (Poster Summary) Suppl. 50, 41
trimethoprim therapy (Poster Summary) Suppl. 50, 41
acquired perforating dermatosis, Koebner phenomenon in (Correspondence), 472
actinic prurigo
diagnosis (Paper Summary) Suppl. 50, 27
and polymorphic light eruption (Correspondence), 827, (Paper Summary) Suppl. 50, 62
acute myeloblastic leukaemia with Adamantiades–Behçet's disease (Correspondence), 317
acute myeloid leukaemia with neoplastic cutaneous polyarteritis (Poster Summary) Suppl. 50, 65
Adamantiades–Behçet's disease with acute myeloblastic leukaemia (Correspondence), 317
adenocarcinoma and Paget's disease of vulva (Paper Summary) Suppl. 50, 29
ageing, effect on epidermal proliferation and differentiation, 219
AIDS
and adherence of *Candida albicans* strains, 76
and herpetic whitlow (Case Report), 812
toenail onychomycosis in, 577
see also HIV infection
ALK, 680
allopurinol in Chagas' disease following heart transplantation (Case Report), 626
alopecia, cicatricial due to diphencyprone therapy (Poster Summary) Suppl. 50, 52
alopecia areata, topical FK506 therapy, 491
alpha hydroxyacid modulation of stratum corneum barrier function, 934
alpha-methyl-tyrosine, radio-labelled in malignant melanoma, 96
5-aminolaevulinic acid
and photodynamic therapy in cutaneous T-cell lymphoma (Poster Summary) Suppl. 50, 50
response of plaque psoriasis after single treatment, 743
topical application and selectivity of protoporphyrin IX fluorescence for condylomata, 736
amyloidosis
nail changes in (Correspondence), 471
with pellagra in multiple myeloma (Correspondence), 829
anaplastic lymphoma kinase, 680
anetoderma, gelatinase expression by skin explants, 517
angioma, acquired tufted (Paper Summary) Suppl. 50, 31
angiosarcoma
absence of human herpesvirus-8 DNA (Correspondence), 156
facial, human herpesvirus-8 DNA (Correspondence), 467
angiotropic lymphoma, telangiectasia in (Case Report), 422
anticonvulsant hypersensitivity syndrome and human herpesvirus-6 infection (Case Report), 605
anti-p80-coilin autoantibody distribution, 916
aquagenic pruritus
and HIV infection (Case Report), 620
interferon therapy (Correspondence), 324
Arndt–Gottron's scleromyxoedema, electron beam therapy (Correspondence), 152
atopic dermatitis
bath emollient therapy (Poster Summary) Suppl. 50, 52
disability associated (Paper Summary) Suppl. 50, 19
elevated serum CD30 levels, 185
Gramineae pollen as trigger factor, 201
group education session for children (Poster Summary) Suppl. 50, 42
house dust mite-triggered, acaricides in (Review), 1
prevalence in birth cohort in Leicester (Paper Summary) Suppl. 50, 22
prevalence in black Caribbean children (Paper Summary) Suppl. 50, 22
psychological disturbance in, 241
severity distribution and referral (Paper Summary) Suppl. 50, 23
severity scoring, 558
atrophia maculosa varioliformis cutis (Paper Summary) Suppl. 50, 30

bak expression in inflammatory and neoplastic skin, 703
basal cell carcinoma
granzyme B localization in peritumoral infiltrates (Correspondence), 1012
patched gene mutations (Paper Summary) Suppl. 50, 35

pulmonary in naevoid basal cell carcinoma syndrome (Correspondence), 313
risk factors (Poster Summary) Suppl. 50, 38, 43
single-stage excision (Paper Summary) Suppl. 50, 26
stem cell factor expression, 709
tumour site (Poster Summary) Suppl. 50, 43
basal cell naevus syndrome
Mohs micrographic surgery (Paper Summary) Suppl. 50, 57
pulmonary basal cell carcinoma in (Correspondence), 313
basement membrane zone, physicochemical characterization and differentiation of components, 907
basic fibroblast growth factor, multiple glomus tumours and Coats' disease (Case Report), 454
bath emollient therapy in atopic eczema (Poster Summary) Suppl. 50, 52
Bax expression in melanocytes and keratinocytes, 883
bcl-2, expression in melanocytes and keratinocytes, 883
bcl-2 antagonist expression in inflammatory and neoplastic skin, 703
Becker's naevus, Bowen's disease developing within (Correspondence), 659
benign intradermal naevi, atypical dermal nodules in (Paper Summary) Suppl. 50, 62
black skin disease in South East London (Poster Summary) Suppl. 50, 49
blistering disease, subepidermal (Case Report), 599
blue naevus, subungual (Correspondence), 1023
bone marrow transplantation, development of psoriasis following (Case Report), 130
Bowen's disease within Becker's naevus (Correspondence), 659
breast
abscess due to *Corynebacterium striatum* (Case Report), 623
carcinoma recurrence (Correspondence), 1026
necrotizing granulomatosis (Case Report), 799
bullous pemphigoid
at trauma sites (Correspondence), 825
glucocorticoid therapy responsiveness (Poster Summary) Suppl. 50, 51
in human orf (Correspondence), 656
localized to mouth (Correspondence), 825
response to dexamethasone and cyclophosphamide (Correspondence), 826
sE-selectin serum levels, 59
variant (Case Report), 599
vesicular variant (Case Report), 768
bullous pemphigoid antigen antibodies
in bullous pemphigoid sera (Correspondence), 306
in cicatricial pemphigoid (Correspondence), 305
burn scars, squamous cell carcinoma, malignant melanoma and malignant fibrous histiocytoma (Case Report), 793

C4 partial deficiency in lupus erythematosus profundus (Correspondence), 651
calcinosis cutis of the penis (Correspondence), 1025
calcipotriol
comparison with tacalcitol in psoriasis, 581
long-term outcome in psoriasis (Poster Summary) Suppl. 50, 53
calcium homeostasis and sweating in vitiligo, 81
Candida albicans strain adherence in AIDS, 76
candidosis, proximal subungual onychomycosis (Case Report), 286
capsaicin in PUVA itch (Correspondence), 152
cathepsin expression in squamous cell carcinoma, 361
cats (Poster Summary) Suppl. 50, 50
CD30 serum level elevation, 185
cellular neurothekeoma of lower lip (Correspondence), 314
cellulitis following hip surgery (Case Report), 133
Chagas' disease, cutaneous manifestations following heart transplantation (Case Report), 626
chromosomal mosaicism associated with epidermal naevi and trichilemmal cysts (Case Report), 821
chronic actinic dermatitis and HIV infection (Case Report), 431
chronic lymphocytic leukaemia
and cutaneous B-cell lymphoma (Paper Summary) Suppl. 50, 33
with pemphigus (Paper Summary) Suppl. 50, 32
chronic radiation ulcer, phototherapy (Correspondence), 840
cicatricial pemphigoid
antibodies against bullous pemphigoid antigen (Correspondence), 305
anti-epiligrin (Case Report), 992
with features of epidermolysis bullosa acquisita and unusual immunopathology (Paper Summary) Suppl. 50, 30
intravenous immunoglobulin therapy (Correspondence), 477
and lung carcinoma (Case Report), 780
cimetidine therapy of multiple viral warts (Poster Summary) Suppl. 50, 51
clindamycin in pitted keratolysis (Poster Summary) Suppl. 50, 51
Coats' disease
and multiple glomus tumours (Paper Summary) Suppl. 50, 31
multiple glomus tumours and basic fibroblast growth factor (Case Report), 454
cobalt, lymphocytoma cutis induced by (Correspondence), 469
collagen type VII
epitope recognition in linear IgA disease, 526
intracellular expression in squamous cell carcinoma in dystrophic epidermolysis bullosa (Correspondence), 310
reduction in photodamaged skin, 344
Comel–Netherton syndrome (Correspondence), 468
Compositae sensitivity and chronic hand dermatitis (Case Report), 289
condylomata, selectivity of protoporphyrin IX fluorescence for following aminolaevulinic acid application, 736
contact allergy in psoriasis (Poster Summary) Suppl. 50, 54
contact dermatitis

due to gold earrings (Poster Summary) Suppl. 50, 54
nickel-induced, 195
and *Tropaeolum majus* (Correspondence), 661
contact hypersensitivity response suppression by solar simulated radiation (Poster Summary) Suppl. 50, 54
contact lenses, UV-opaque in PUVA (Short Communication) Suppl. 50, 67
corneodesmosin expression in epidermis, 864
Corynebacterium striatum, breast abscess due to (Case Report), 623
cryoptococcus, cutaneous (Poster Summary) Suppl. 50, 46
cryosurgery
myxoid cysts (Paper Summary) Suppl. 50, 27
venous lakes (Correspondence), 1018
cutaneous B-cell lymphoma and chronic lymphocytic leukaemia (Paper Summary) Suppl. 50, 33
cutaneous larva migrans, routine oral treatment (Correspondence), 155
cutaneous lymphoma, CD56-positive (Case Report), 966
cutaneous T-cell lymphoma
genotypic analysis, 673
with Gorlin's syndrome (Paper Summary) Suppl. 50, 34
with non-Hodgkin's lymphoma and HTLV-1 infection (Paper Summary) Suppl. 50, 33
and papuloerythroderma of Ofuji (Correspondence), 160
role of sunlight in (Paper Summary) Suppl. 50, 23
topical aminolaevulinic acid and photodynamic therapy (Poster Summary) Suppl. 50, 50
cutis marmorata telangiectatica congenita, hypoplasia of right iliac and femoral veins (Case Report), 119
cyclophosphamide in bullous pemphigoid (Correspondence), 826
cyclosporin
in epidermolysis bullosa pruriginosa (Correspondence), 308
in Kimura's disease (Case Report), 972
renal function after 10 years therapy in psoriasis (Paper Summary) Suppl. 50, 16
short course therapy in psoriasis (Poster Summary) Suppl. 50, 53
cytokines
expression in Kimura's disease (Case Report), 972
neuropeptide modulation in peripheral blood mononuclear leucocytes, 921

dapsone
in cutaneous vasculitis (Correspondence), 476
hypersensitivity syndrome in dermatitis herpetiformis (Correspondence), 657
Darier's disease
dermatoglyphics in, 401
and neuropsychiatric disorders (Poster Summary) Suppl. 50, 47
Dead Sea spa treatment (Poster Summary) Suppl. 50, 52
demodex mites in rosacea (Poster Summary) Suppl. 50, 48
dermal dysplasia, focal facial (Paper Summary) Suppl. 50, 19
dermal thickness, genetic and environmental factors (Poster Summary) Suppl. 50, 45
dermatitis herpetiformis
dapsone hypersensitivity in (Correspondence), 657
oats in gluten-free diet (Paper Summary) Suppl. 50, 20
risk factors for ischaemic heart disease (Poster Summary) Suppl. 50, 46
dermatofibrosarcoma protuberans, Mohs surgery (Paper Summary) Suppl. 50, 59
dermatoglyphics in Darier's disease, 401
desmoglein 3, reactivity of herpetiform pemphigus (Case Report), 109
dexamethasone, pulsed intravenous in bullous pemphigoid (Correspondence), 826
dialysis
pigmentation changes in (Case Report), 997
and pruritus (Poster Summary) Suppl. 50, 48
digital papular calcific elastosis (Paper Summary) Suppl. 50, 31
digital sympathectomy in Raynaud's phenomenon (Correspondence), 1019
diltiazem, acute generalized exanthematous pustulosis due to (Correspondence), 837
diphencyprone therapy, cicatricial alopecia as side effect (Poster Summary) Suppl. 50, 52
disseminated necrotising fasciitis (Paper Summary) Suppl. 50, 32
District General Hospital
less common conditions presenting to (Poster Summary) Suppl. 50, 46
management of malignant melanoma in dermatology department (Poster Summary) Suppl. 50, 38
dithranol therapy in psoriasis (Paper Summary) Suppl. 50, 17
Donovan, Charles (Poster Summary) Suppl. 50, 44
doxepin, effect on responses to histamine, substance P and prostaglandin E_2, 386
dystrophic epidermolysis bullosa and squamous cell carcinoma, type VII collagen intracellular expression (Correspondence), 310

ear, weathering nodules (Correspondence), 659
eccrine hidradenitis, neutrophilic (Poster Summary) Suppl. 50, 65
Ehlers–Danlos type IV, non-invasive techniques as diagnostic support (Correspondence), 653
elafin in impetigo herpetiformis (Case Report), 123
elastosis perforans serpiginosa and unilateral atrophoderma of Pasini and Pierini in, 47,XYY karyotype (Case Report), 158
elastotic striae, video measuring system (Concise Communication), 955
electron beam therapy in Arndt–Gottron's scleromyxoedema (Correspondence), 152
endothelial growth factor upregulation in keratinocytes, 540
endothelin distribution in port wine stains (Correspondence), 323

eosinophilic fasciitis, myelodysplasia in (Correspondence), 316
epidermal naevi, associated with trichilemmal cysts and chromosomal mosaicism (Case Report), 821
epidermis
corneodesmosin expression, 864
effects of xerosis and ageing on proliferation and differentiation, 219
nerve fibre network, 163
somatostatin in, 376
epidermodysplasia verruciformis in a Nigerian woman (Paper Summary) Suppl. 50, 34
epidermolysis bullosa acquisita
in, 10-year-old Albanian boy (Correspondence), 307
blindness following (Case Report), 270
consistent with psoriasis (Case Report), 783
mesalazine in (Correspondence), 154
epidermolysis bullosa pruriginosa, cyclosporin therapy (Correspondence), 308
epidermolysis bullosa simplex, plectin mutations in, 898, (Paper Summary) Suppl. 50, 36
epithelioid haemangioendothelioma, cutaneous (Paper Summary) Suppl. 50, 62
Epstein–Barr virus
gene products, 680
lymphoproliferative eruption associated (Case Report), 426
ERB's point (Paper Summary) Suppl. 50, 59
erysipelas melanomatosum (Correspondence), 833
erythema elevatum diutinum associated with pulmonary infiltrates (Correspondence), 652
erythema induratum
diagnostic value of polymerase chain reaction (Correspondence), 1011
simultaneous occurrence with papulonecrotic tuberculide (Case Report), 276
erythema multiforme recurrence following infections (Correspondence), 320
erythema nodosum in oestrogen replacement therapy (Correspondence), 319
extracorporeal photopheresis in Sézary syndrome (Paper Summary) Suppl. 50, 24
eyelids
multiple apocrine hydrocystoma (Case Report), 642
recurrent breast carcinoma metastasis to (Correspondence), 1026

face mask, disposable (Correspondence), 151
femoral vein hypoplasia in cutis marmorata telangiectatica congenita (Case Report), 119
fibrillin expression by keratinocytes, 17
fibroblast DNA damage after exposure to artificial tanning lamps, 687
fibroelastolytic papulosis of the neck (Case Report), 461
filaggrin expression in epithelial differentiation, 9
FK506 topical therapy in alopecia areata, 491
focal facial dermal dysplasia (Paper Summary) Suppl. 50, 19
folliculitis in HIV infection (Paper Summary) Suppl. 50, 20
fragile fissuring vulva syndrome (Paper Summary) Suppl. 50, 25
freckling, partial unilateral (Poster Summary) Suppl. 50, 48
fungi, dermatophyte, molecular determination, 351

gammaglobulin in autoimmune blistering diseases (Paper Summary) Suppl. 50, 20
gelatinase expression by skin explants in anetoderma, 517
general practice referrals for skin tumours (Poster Summary) Suppl. 50, 43
genetic counselling in psoriasis, 939
genital dermatoses clinic (Paper Summary) Suppl. 50, 25
glomus tumours
Coats' disease and basic fibroblast growth factor (Case Report), 454
and Coats' disease (Paper Summary) Suppl. 50, 31
glutathione efflux in melanoma cells, 721
glutathione-transferase as marker of renal impairment in psoriasis (Paper Summary) Suppl. 50, 16
glycosaminoglycan, urinary levels in pseudoxanthoma elasticum (Correspondence), 473
gold, contact dermatitis due to (Poster Summary) Suppl. 50, 54
Gorlin's syndrome
with cutaneous T-cell lymphoma (Paper Summary) Suppl. 50, 34
patched gene mutations in (Paper Summary) Suppl. 50, 35
graft-versus-host disease
absence of human herpesvirus-8 DNA (Correspondence), 156
eruption resembling in non-Hodgkin's lymphoma (Case Report), 137
Gramineae pollen as trigger factor in atopic dermatitis, 201
granulocytes, intracellular signalling by binding sites for monomethylfumarate, 65
granuloma annulare and HIV infection (Poster Summary) Suppl. 50, 66
granuloma faciale, penile lesions (Paper Summary) Suppl. 50, 29
granulomatosis and malignant melanoma (Case Report), 787
granzyme B localization in peritumoral infiltrates of basal cell carcinoma (Correspondence), 1012
growth factor activity in chronic wounds (Correspondence), 646
growth hormone therapy, effect on melanocytic naevi, 545

HaCaT cell differentiation, role of protein kinases, 44
haemangioma, superficial, laser therapy (Paper Summary) Suppl. 50, 18
Hailey–Hailey disease, skin biopsy (Poster Summary) Suppl. 50, 45
hair
acquired progressive kinking (Correspondence), 832
loss and quality of life (Poster Summary) Suppl. 50, 47
microscopy in neonate (Poster Summary) Suppl. 50, 45
hair follicle
anagen–catagen transition tissue remodelling, 31

expression of genes for growth factors and kinase inhibitors, 693
harlequin ichthyosis, keratinocyte protein phosphatase activity, 874
health promotion campaigns, effect on children (Poster Summary) Suppl. 50, 41
heart transplantation, Chagas' disease following (Case Report), 626
hepatitis C with bullous lichen sclerosus (Correspondence), 474
herpes simplex virus
detection by polymerase chain reaction (Concise Communication), 259
infection presenting with recurrent chest wall vesicles (Correspondence), 440
herpes zoster
disseminated, acute lymphomatous infiltration (Poster Summary) Suppl. 50, 65
following immunization with varicella vaccine (Concise Communication), 255
misdiagnosis (Concise Communication), 259
herpetic whitlow in AIDS (Case Report), 812
hip surgery, cellulitis following (Case Report), 133
histamine
effect of doxepin on responses to, 386
pruritogenic activity at dermal–epidermal junction (Concise Communication), 415
histidinohydroxylysinonorleucine, in sun-exposed and sun-protected skin (Correspondence), 1014
histiocytosis with Hodgkin's disease (Paper Summary) Suppl. 50, 33
Histoacryl
anchoring split skin grafts (Paper Summary) Suppl. 50, 57
in full-thickness skin grafting (Paper Summary) Suppl. 50, 57
HIV infection
and aquagenic pruritus (Case Report), 620
and atypical Lyme borreliosis (Case Report), 437
and chronic actinic dermatitis (Case Report), 431
and granuloma annulare (Poster Summary) Suppl. 50, 66
itchy folliculitis (Paper Summary) Suppl. 50, 20
skin disease prevalence and degree of immunosuppression (Concise Communication), 595
see also AIDS
Hodgkin's disease with histiocytosis (Paper Summary) Suppl. 50, 33
HTLV-1 infection with cutaneous T-cell lymphoma and non-Hodgkin's lymphoma (Paper Summary) Suppl. 50, 33
human herpesvirus-6 infection associated with anticonvulsant hypersensitivity and reactive haemophagocytic syndrome (Case Report), 605
human herpesvirus-8
in facial angiosarcoma (Correspondence), 467
prevalence in skin lesions, 179
human papillomavirus
determination of oncogenic potential (Short Communication) Suppl. 50, 67
in non-melanoma skin cancer following transplantation (Paper Summary) Suppl. 50, 26
hypereosinophilic syndrome associated with Wells' syndrome (Case Report), 978

immunity, skin and the nervous system (Review), 843
immunoglobulin
eczematous reactions to (Correspondence), 481
intravenous therapy in cicatricial pemphigoid (Correspondence), 477
immunosuppressive therapy, Kaposi's sarcoma associated (Case Report), 140
impetigo herpetiformis, epidermal skin-derived antileucoproteinase/elafin levels (Case Report), 123
infantile acute haemorrhagic oedema (Paper Summary) Suppl. 50, 31
interferon-α
focal neurological signs following therapy in malignant melanoma (Correspondence), 1023
lichen planus following therapy (Correspondence), 836
therapy in aquagenic pruritus (Correspondence), 324
interleukin-2, pruritogenic activity at dermal–epidermal junction (Concise Communication), 415
interleukin-6 in cutaneous plasmacytoma (Case Report), 631
ischaemic heart disease risk in dermatitis herpetiformis (Poster Summary) Suppl. 50, 46
isotretinoin
and contraception management (Paper Summary) Suppl. 50, 28
intermittent in acne (Concise Communication), 106
median canaliform dystrophy following therapy (Correspondence), 658
in Morbihan's disease (Correspondence), 1020
itraconazole
pulse therapy in tinea capitis (Concise Communication), 251
response of tinea nigra to (Correspondence), 483

Jaccoud's syndrome associated with hypocomplementaemic urticarial vasculitis (Case Report), 804
junctional epidermolysis bullosa
non-lethal in a dog (Case Report), 445
severe (Paper Summary) Suppl. 50, 59

Kaposi's sarcoma associated with immunosuppression for bullous pemphigoid (Case Report), 140
keratin type II gene cluster, mapping of monilethrix to, 339
keratinocytes
Bcl-2 and Bax expression, 883
endothelial growth factor upregulation, 540
expression of tetra-spans transmembrane family, 865
fibrillin expression and microfibril assembly, 17
protein phosphatase activity, 874

keratosis lichenoides striata (Poster Summary) Suppl. 50, 50
ketotifen in Morbihan's disease (Correspondence), 1020
Kimura's disease, cyclosporin A therapy (Case Report), 972
Koebner phenomenon in acquired perforating dermatosis (Correspondence), 472

lamellar ichthyosis, application of emollients (Correspondence), 1017
large cell lymphoma, primary cutaneous anaplastic, ALK and EBV gene products, 680
laser therapy
acquired port wine stains, 86
complicated superficial haemangioma (Paper Summary) Suppl. 50, 18
interaction with tattoos, 405
port wine stains, 750
sulphur mustard-induced lesion (Concise Communication), 590
latex glove allergy (Paper Summary) Suppl. 50, 28
leg ulcers
chronic, wound margin biopsies, 188
management (Poster Summary) Suppl. 50, 49
pain in (Poster Summary) Suppl. 50, 49
skin biopsy in management (Paper Summary) Suppl. 50, 63
leprosy, borderline lepromatous (Case Report), 1006
LHTric-1 characterization, 24
lichen planus following interferon-α therapy (Correspondence), 836
lichen sclerosus
bullous with chronic hepatitis C (Correspondence), 474
infective aetiology (Paper Summary) Suppl. 50, 25
linear focal elastosis, video measuring system (Concise Communication), 955
linear IgA disease, dermal binding sera recognition of collagen type VII epitopes, 526
lung carcinoma and cicatricial pemphigoid (Case Report), 780
lupus erythematosus
discoid, milia en plaque in (Correspondence), 649
subacute cutaneous induced by radiotherapy (Correspondence), 648
lupus erythematosus profundus with partial C4 deficiency (Correspondence), 651
lupus miliaris disseminatus faciei (Case Report), 614
lupus vulgaris, squamous cell carcinoma in (Paper Summary) Suppl. 50, 34
Lyme borreliosis, atypical, in HIV infection (Case Report), 437
lymphangioma, cutaneous (Paper Summary) Suppl. 50, 58
lymphocytoma cutis, cobalt-induced (Correspondence), 469
lymphomatoid papulosis
ALK and EBV gene products, 680
familial clustering with malignancies (Paper Summary) Suppl. 50, 18
presentation as large necrotic lesions (Poster Summary) Suppl. 50, 66
mage gene expression in malignant melanoma and melanocytic naevi (Poster Summary) Suppl. 50, 38
Majocchi's disease, neonatal (Correspondence), 655
Malassezia
differentiation of species, 208
susceptibility of subgroups to terbinafine (Concise Communication), 764
malignancy and Sweet's syndrome (Case Report), 609
malignant fibrous histiocytoma in burn scars (Case Report), 793
malignant melanoma
in burn scars (Case Report), 793
checklist (Poster Summary) Suppl. 50, 38
extremities, risk factor analysis (Paper Summary) Suppl. 50, 21
failure in diagnosis (Poster Summary) Suppl. 50, 39
fine needle aspiration of lymph node recurrence (Paper Summary) Suppl. 50, 57
focal neurological signs following interferon therapy (Correspondence), 1023
following PUVA (Paper Summary) Suppl. 50, 22
and granulomatosis (Case Report), 787
incidence and mortality (Paper Summary) Suppl. 50, 21
mage gene expression (Poster Summary) Suppl. 50, 38
management in District General Hospital dermatology department (Poster Summary) Suppl. 50, 38
paraneoplastic retinopathy (Case Report), 457
prioritising clinic appointments (Poster Summary) Suppl. 50, 40
radioiodine-labelled alpha-methyl-tyrosine in, 96
relevance of S100 serum levels (Paper Summary) Suppl. 50, 21
risk factors (Poster Summary) Suppl. 50, 38
S100 as prognostic marker, 381
matrix metalloproteinase-9 and postsurgical wound progression, 506
median canaliform dystrophy following isotretinoin therapy (Correspondence), 658
melanocortin, 1 receptor variants in non-melanoma skin cancer (Poster Summary) Suppl. 50, 43
melanocytes
Bcl-2 and Bax expression, 883
proliferative activity in melanocytic naevi, 534
melanocytic naevi
dose–response relationship with ultraviolet radiation, 91
effect of growth hormone therapy, 545
erputive satellite vascular malformations after removal (Case Report), 292
mage gene expression (Poster Summary) Suppl. 50, 38
melanocyte proliferative activity in, 534
rate of development in infants (Paper Summary) Suppl. 50, 21
scalp (Paper Summary) Suppl. 50, 18
melanoma cells, glutathione efflux and gamma-glutamyl transpeptidase activity, 721

Merkel cell carcinoma
following therapeutic immunosuppression (Case Report), 637
spontaneous regression (Case Report), 296
mesalazine in epidermolysis bullosa acquisita (Correspondence), 154
microfibril assembly by keratinocytes, 17
milia en plaque in discoid lupus erythematosus (Correspondence), 649
Mohs micrographic surgery
basal cell naevus syndrome (Paper Summary) Suppl. 50, 57
dermatofibrosarcoma protuberans (Paper Summary) Suppl. 50, 59
mole check clinic effectiveness (Poster Summary) Suppl. 50, 38
monilethrix, mapping to type II keratin gene cluster, 339
monomethylfumarate, intracellular signalling by binding sites on granulocytes, 65
monosymptomatic hypochondriacal psychosis and self-mutilation (Case Report), 299
morbidity assessment in skin disease (Correspondence), 157
Morbihan's disease following rosacea (Correspondence), 1020
mouth, bullous pemphigoid (Correspondence), 825
Muir–Torré syndrome, microsatellite instability in sebaceous tumours, 356
multicentric reticulohistiocytosis with SLE (Paper Summary) Suppl. 50, 32
multiparameter flow cytometry in evaluation of antipsoriatic therapy, 367
multiple apocrine hydrocystoma of eyelids (Case Report), 642
multiple myeloma, amyloidosis and pellagra in (Correspondence), 829
music during dermatological surgery (Paper Summary) Suppl. 50, 58
Mycobacterium abscessus, iatrogenic infection, 214
mycosis fungoides
extracorporeal photochemotherapy, 549
role of sunlight in (Paper Summary) Suppl. 50, 23
myelodysplasia in eosinophilic fasciitis (Correspondence), 316
myxoid cysts, cryosurgery (Paper Summary) Suppl. 50, 27

nail
abnormalities in rheumatoid arthritis (Concise Communication), 957
changes in amyloidosis (Correspondence), 471
onychomycosis in AIDS, 577
natural killer cell lymphoma, cutaneous (Paper Summary) Suppl. 50, 34
necrotising fasciitis, disseminated (Paper Summary) Suppl. 50, 32
necrotising granulomatosis, breast (Case Report), 799
Nekam's disease (Poster Summary) Suppl. 50, 50
neonate
hair microscopy (Poster Summary) Suppl. 50, 45
Majocchi's disease (Correspondence), 655
nerve block anaesthesia of head and neck (Paper Summary) Suppl. 50, 59
nerve fibres, epidermal network, 163
nervous sytem, skin and immunity (Review), 843
nickel challenge in atopic and non-atopic individuals, 195
Nicolau syndrome following triple vaccine injection (Correspondence), 1030
nitric oxide as chemical transmitter in skin (Review), 665
non-Hodgkin's lymphoma
graft-versus-host disease-like eruption in (Case Report), 137
with HTLV-1 infection and cutaneous T-cell lymphoma (Paper Summary) Suppl. 50, 33
non-melanoma skin cancer
audit of completeness of registration (Concise Communication), 761
following PUVA (Paper Summary) Suppl. 50, 22
human papillomavirus in following transplantation (Paper Summary) Suppl. 50, 26
melanocortin, 1 receptor variants (Poster Summary) Suppl. 50, 43
nystatin therapy, acute generalized exanthematous pustulosis following (Case Report), 808

oats in gluten-free diet in dermatitis herpetiformis (Paper Summary) Suppl. 50, 20
oestrogen replacement therapy and development of erythema nodosum (Correspondence), 319
onychomycosis
proximal subungual candida (Case Report), 286
toenail in AIDS, 577
orf with bullous pemphigoid (Correspondence), 656
ozone, effect of depletion on UVB radiation (Concise Communication), 101

Paget's disease of vulva, and adenocarcinoma (Paper Summary) Suppl. 50, 29
palmoplantar keratodermas, inherited (Review), 485
papuloerythroderma of Ofuji and cutaneous T-cell lymphoma (Correspondence), 160
parakeratosis variegata, transformation from pityriasis lichenoides chronica (Case Report), 983
PASI (Correspondence), 661
Pavlovian conditioning in cold-exposure tests in Raynaud's phenomenon (Correspondence), 482
pellagra with amyloidosis in multiple myeloma (Correspondence), 829
pemphigoid, childhood with vulval involvement (Paper Summary) Suppl. 50, 19
pemphigus
with chronic lymphocytic leukaemia (Paper Summary) Suppl. 50, 32
herpetiform, reactivity with pemphigus vulgaris antigen (desmoglein, 3) (Case Report), 109
pemphigus foliaceus
autoantibody formation against an antigen of desmosomal plaque (Case Report), 774

transition from pemphigus vulgaris (Correspondence), 303
pemphigus vulgaris
sE-selectin serum levels, 59
transition to pemphigus foliaceus (Correspondence), 303
penis
granuloma faciale (Paper Summary) Suppl. 50, 29
idiopathic calcinosis cutis (Correspondence), 1025
perifollicular fibroma, multiple (Paper Summary) Suppl. 50, 30
phosphorus sesquisulphide allergy (Poster Summary) Suppl. 50, 54
photoageing, role of dermal extracellular matrix (Poster Summary) Suppl. 50, 44
photochemotherapy, extracorporeal in mycosis fungoides, 549
photodamage
identification by UV photography (Correspondence), 321
and reduction in collagen VII, 344
photodynamic therapy, 736, 743
and topical aminolaevulinic acid in cutaneous T-cell lymphoma (Poster Summary) Suppl. 50, 50
photosensitivity
outdoor behaviour and symptoms of patients, 391
in Smith–Lemli–Opitz syndrome (Short Communication) Suppl. 50, 67
phototherapy
chronic radiation ulcer (Correspondence), 840
comparison of, 3× and, 5× weekly in psoriasis (Paper Summary) Suppl. 50, 15
comparison with PUVA for psoriasis (Paper Summary) Suppl. 50, 15
pigmentation changes in haemodialysis (Case Report), 997
pigmented lesion clinic
anxiety on attendance (Poster Summary) Suppl. 50, 40
educational value (Poster Summary) Suppl. 50, 39
pilomatrixoma, cell renewal, differentiation and apoptosis, 714
pitted keratolysis
clindamycin therapy (Poster Summary) Suppl. 50, 51
clinical manifestations (Case Report), 282
pityriasis lichenoides chronica
and systemic lymphoma (Paper Summary) Suppl. 50, 24
transformation to parakeratosis variegata (Case Report), 983
pityriasis rubra pilaris and seronegative polyarthritis (Correspondence), 318
plasmacytoma, cutaneous
genotypic analysis (Case Report), 418
plasma IL-6 in (Case Report), 631
plectin gene mutation
in epidermolysis bullosa simplex (Paper Summary) Suppl. 50, 36
in recessive epidermolysis bullosa simplex, 898
polyarteritis, neoplastic cutaneous with acute myeloid leukaemia (Poster Summary) Suppl. 50, 65
polyarthritis, seronegative with pityriasis rubra pilaris (Correspondence), 318
polymorphic light eruption
and actinic prurigo (Correspondence), 827, (Paper Summary) Suppl. 50, 62
desensitisation phototherapy and photochemotherapy (Short Communication) Suppl. 50, 67
porphyria cutanea tarda and haematologic malignancy (Poster Summary) Suppl. 50, 45
port wine stains
acquired, psychological assessment and response to laser therapy, 86
and childhood disability (Poster Summary) Suppl. 50, 51
laser therapy, 750
normal distribution of endothelin (Correspondence), 323
postmastectomy lymphoedema, cell-mediated immunity in, 928
pregnancy, triplet, pruritic urticarial papules and plaques of pregnancy (Correspondence), 161
propionibacteria, antibiotic-resistant in acne (Paper Summary) Suppl. 50, 27
prostaglandin E_2, effect of doxepin on responses to, 386
protease inhibitor protection of growth factor activity in chronic wounds (Correspondence), 646
protein C, activated, resistance to (Correspondence), 322
protein kinases in differentiation of human epidermal HaCaT cells, 44
protein phosphatase activity in keratinocytes, 874
pruritic urticarial papules and plaques of pregnancy in triplet pregnancy (Correspondence), 161
pruritus in dialysis patients (Poster Summary) Suppl. 50, 48
pseudo-pyoderma gangrenosum with congenital leucocyte adhesion glycoprotein deficiency (Paper Summary) Suppl. 50, 35
pseudoxanthoma elasticum, urinary glycosaminoglycan levels (Correspondence), 473
psoriasis
antigen-dependent expansion of T cells from skin lesions, 331
assessment of involved surface by machine vision, 395
assessment of severity (Correspondence), 661
burden of disease and treatment with Dovonex or Dithrocream (Poster Summary) Suppl. 50, 55
chronic plaque, sunbed use (Paper Summary) Suppl. 50, 15
combination of bath PUVA and oral acitretin (Concise Communication), 587
comparison of, 3x and, 5x weekly phototherapy (Paper Summary) Suppl. 50, 15
comparison of PUVA and phototherapy (Paper Summary) Suppl. 50, 15
comparison of tacalcitol and calcipotriol, 581
consistent with epidermolysis bullosa acquisita (Case Report), 783
contact allergy in (Poster Summary) Suppl. 50, 54
development after bone marrow transplant from psoriatic donor (Case Report), 130
dithranol therapy (Paper Summary) Suppl. 50, 17
epidermal overexpression of thymidine phosphorylase, 851
follicular (Case Report), 988

genetic counselling, 939
long-term outcome following calcipotriol therapy (Poster Summary) Suppl. 50, 53
paternal inheritance (Paper Summary) Suppl. 50, 16
plaque, response after single treatment with aminolaevulinic acid photodynamic therapy, 743
and quality of life, 755
ranitidine in (Correspondence), 1021
renal function after 10 years cyclosporin therapy (Paper Summary) Suppl. 50, 16
review of five systemic treatments, 943
scalp (Poster Summary) Suppl. 50, 52
short course cyclosporin therapy (Poster Summary) Suppl. 50, 53
susceptibility gene loci (Paper Summary) Suppl. 50, 15
therapy evaluation by multiparameter flow cytometry, 367
urinary glutathione-transferase as marker of renal impairment (Paper Summary) Suppl. 50, 16
use of moisturisers before UVB phototherapy (Short Communication) Suppl. 50, 68
psoriasis area and severity index (Correspondence), 661
pustulosis, acute generalized exanthematous following nystatin therapy (Case Report), 808
PUVA
combination with acitretin in psoriasis, 587
comparison with phototherapy for psoriasis (Paper Summary) Suppl. 50, 15
and DNA damage (Short Communication) Suppl. 50, 68
itch following, treatment with capsaicin (Correspondence), 152
melanoma and non-melanoma skin cancer following (Paper Summary) Suppl. 50, 22
UV-opaque contact lenses in (Short Communication) Suppl. 50, 67
pyoderma gangrenosum
follow-up (Case Report), 1000
nature of (Poster Summary) Suppl. 50, 46
pyodermatitis–pyostomatitis vegetans (Case Report), 266

quality of life and psoriasis, 755

radiotherapy, induction of subacute cutaneous lupus erythematosus (Correspondence), 648
ranitidine in psoriasis (Correspondence), 1021
Raynaud's phenomenon
cold-exposure tests and Pavlovian conditioning (Correspondence), 482
digital sympathectomy (Correspondence), 1019
reactive haemophagocytic syndrome and human herpesvirus-6 infection (Case Report), 605
retinoic acid
topical application
irritant patch test reactions to, 234
irritant skin responses, 226
retinopathy, melanoma-associated paraneoplastic (Case Report), 457
rheumatoid arthritis, nail abnormalities (Concise Communication), 957
rhinophyma, shave excision and electrodessication (Paper Summary) Suppl. 50, 59
right iliac vein hypoplasia in cutis marmorata telangiectatica congenita (Case Report), 119
roaccuane and wax epilation (Correspondence), 839
rosacea
demodex mites in (Poster Summary) Suppl. 50, 48
vasoactive intestinal peptide in (Paper Summary) Suppl. 50, 27
rosacea conglobata/fulminans and ulcerative colitis (Correspondence), 830
RU58841, effects on hair production by balding scalp grafts, 699

S100 protein
Ca^{2+} binding, localization in normal skin and melanocytic lesions, 39
as prognostic marker in cutaneous melanoma, 381
relevance of serum levels in malignant melanoma (Paper Summary) Suppl. 50, 21
scalp
melanocytic naevi (Paper Summary) Suppl. 50, 18
psoriasis (Poster Summary) Suppl. 50, 52
scleroatrophic syndrome of Huriez (Case Report), 114, (Paper Summary) Suppl. 50, 36
scleroedema, computed tomography of subcutaneous tissue (Correspondence), 1015
SDZ ASM, 981, *in vivo* pharmacology, 568
sE-selectin serum levels in bullous pemphigoid and pemphigus vulgaris, 59
seborrhoeic keratosis prevalence in Australian population (Concise Communication), 411
severe combined immunodeficiency syndrome (Paper Summary) Suppl. 50, 36
Sézary syndrome, extracorporeal photopheresis (Paper Summary) Suppl. 50, 24
Shabbir's syndrome (Paper Summary) Suppl. 50, 36
silica granuloma, tennis elbow due to (Correspondence), 477
silver, effect on healing in sterile skin wounds, 728
skin-derived antileucoproteinase in impetigo herpetiformis (Case Report), 123
skin grafts
delayed (Paper Summary) Suppl. 50, 58
full-thickness (Paper Summary) Suppl. 50, 57
split skin (Paper Summary) Suppl. 50, 57
in toxic epidermal necrolysis (Paper Summary) Suppl. 50, 32
Smith–Lemli–Opitz syndrome, UVA photosensitivity in (Short Communication) Suppl. 50, 67
Sneddon–Wilkinson disease, UVB phototherapy (Correspondence), 149.150

sodium lauryl sulphate, irritant skin responses to topical application, 226
solar urticaria, ultraviolet A phototherapy (Case Report), 144
somatostatin in epidermis, 376
spindle cell carcinoma, vulva (Paper Summary) Suppl. 50, 29
sporotrichosis, lymphocutaneous, reinfection with (Correspondence), 834
squamous cell carcinoma
in burn scars (Case Report), 793
cathepsin expression in, 361
in dystrophic epidermolysis bullosa, type VII collagen intracellular expression (Correspondence), 310
in lupus vulgaris (Paper Summary) Suppl. 50, 34
risk factors (Poster Summary) Suppl. 50, 38
stem cell factor expression in basal cell carcinoma, 709
stomatitis, chronic ulcerative (Case Report), 262
stratum corneum barrier function, modulation by alpha hydroxyacids, 934
striae distensae, histological assessment of dermal elastic fibre network (Poster Summary) Suppl. 50, 44
subcorneal pustular dermatosis, UVB phototherapy (Correspondence), 149, 150
subepidermal immunobullous disease diagnosis (Poster Summary) Suppl. 50, 47
substance P, effect of doxepin on responses to, 386
suicide in dermatological patients, 246, (Paper Summary) Suppl. 50, 28
sulphur mustard lesions, laser debridement (Concise Communication), 590
sun awareness, qualitative research (Poster Summary) Suppl. 50, 42
sun protection in school (Poster Summary) Suppl. 50, 42
sunbeds
psychology of use, 950
use in chronic plaque psoriasis (Paper Summary) Suppl. 50, 15
sunscreen, influence of type on photoprotection (Concise Communication), 103
surgery, use of music during (Paper Summary) Suppl. 50, 58
sweating, influence of calcium homeostasis on in vitiligo, 81
Sweet's syndrome
and malignancy (Case Report), 609, (Paper Summary) Suppl. 50, 24
neutrophil poor (Poster Summary) Suppl. 50, 65
systemic lupus erythematosus
cutaneous mucinosis associated (Case Report), 450
with multicentric reticulohistiocytosis (Paper Summary) Suppl. 50, 32

T cells
from psoriatic skin lesions, antigen-dependent expansion, 331
in wound margin biopsies from chronic leg ulcers, 188
tacalcitol compared with calcipotriol in psoriasis, 581
tattoos, interaction with laser therapy, 405
telangiectasia as major manifestation of angiotropic lymphoma (Case Report), 422
teledermatology (Paper Summary) Suppl. 50, 17
tenascin expression in vitiligo, 171
tennis elbow due to silica granuloma (Correspondence), 477
terbinafine
susceptibility of *Malassezia furfur* subgroups to (Concise Communication), 764
in toenail onychomycosis in AIDS, 577
thermal injury, necrosis and apoptosis in (Correspondence), 647
thymidine phosphorylase overexpression in psoriatic epidermis, 851
tinea capitis, itraconazole pulse therapy (Concise Communication), 251
tinea manuum, bullous (Paper Summary) Suppl. 50, 30
tinea nigra, response to itraconazole (Correspondence), 483
toxic epidermal necrolysis, allografts (Paper Summary) Suppl. 50, 32
transforming growth factor β1, association with elastic fibres in dermis, 51
transforming growth factor binding protein, 1, association with elastic fibres in dermis, 51
transplantation
acitretin therapy following (Paper Summary) Suppl. 50, 23
bone marrow, development of psoriasis following (Case Report), 130
Chagas' disease following (Case Report), 626
and cutaneous malignancy (Poster Summary) Suppl. 50, 48
cutaneous manifestations of immunosuppression following (Paper Summary) Suppl. 50, 23
human papillomavirus in non-melanoma skin cancer following (Paper Summary) Suppl. 50, 26
transverse nasal line (Case Report), 963
trichilemmal cysts associated with epidermal naevi and chromosomal mosaicism (Case Report), 821
trichohyalin expression in epithelial differentiation, 9
trimethoprim
in acne (Poster Summary) Suppl. 50, 41
linear fixed drug eruption due to (Correspondence), 1028
triple vaccine injection, Nicolau syndrome following (Correspondence), 1030
Tropaeolum majus and contact dermatitis (Correspondence), 661
tuberculide, papulonecrotic, simultaneous occurrence with erythema induratum (Case Report), 276
tumour necrosis factor-α, pruritogenic activity at dermal–epidermal junction (Concise Communication), 415

ulcerative colitis and rosacea conglobata/fulminans (Correspondence), 830
ulcers
chronic radiation, phototherapy (Correspondence), 840
self-inflicted (Case Report), 299
see also leg ulcers
ultraviolet A phototherapy in solar urticaria (Case Report), 144

ultraviolet B phototherapy
narrowband (Review), 327
in subcorneal pustular dermatosis (Correspondence), 149, 150
ultraviolet B radiation, effect of ozone depletion on (Concise Communication), 101
ultraviolet radiation, dose–response relationship with melanocytic naevi, 91
unilateral atrophoderma of Pasini and Pierini with elastosis perforans serpiginosa in, 47,XYY karyotype (Correspondence), 158
urticarial vasculitis, hypocomplementaemic, associated with Jaccoud's syndrome (Case Report), 804

varicella immunization, herpes zoster following (Concise Communication), 255
varicella zoster virus detection by polymerase chain reaction (Concise Communication), 259
vasculitis, cutaneous, response to dapsone (Correspondence), 476
vasoactive intestinal peptide in rosacea (Paper Summary) Suppl. 50, 27
venous lakes, cryosurgery (Correspondence), 1018
verruciform xanthoma in association with vulval fibroepithelial polyp (Case Report), 816
vitamin D, topical application, irritant patch test reactions to, 234
vitiligo
epidermal reconstructs, 890
influence of calcium homeostasis on epidermal sweating, 81
tenascin expression, 171
vulva
fibroepithelial polyp associated with verruciform xanthoma (Case Report), 816
fragile fissuring vulva syndrome (Paper Summary) Suppl. 50, 25
involvement in childhood pemphigoid (Paper Summary) Suppl. 50, 19
Paget's disease (Paper Summary) Suppl. 50, 29
spindle cell carcinoma (Paper Summary) Suppl. 50, 29
vulvo–vaginal–gingival syndrome, immunopathology (Paper Summary) Suppl. 50, 25

warts
anogenital in pre-pubertal children (Paper Summary) Suppl. 50, 17
cimetidine therapy (Poster Summary) Suppl. 50, 51
comparison of cryogun versus cotton buds (Paper Summary) Suppl. 50, 26
wax epilation and roaccuane (Correspondence), 839
weathering nodules of the ear (Correspondence), 659
Wells' syndrome
associated with idiopathic hypereosinophilic syndrome (Case Report), 978
PUVA therapy (Correspondence), 479
wool follicles, serum-free culture, 498
wounds
chronic, protection of growth factor activity by protease inhibitors (Correspondence), 646
monitoring postsurgical progression, 506
sterile, effect of silver on healing, 728

xeroderma pigmentosum, excision repair defect in (Paper Summary) Suppl. 50, 35
xerosis, effect on epidermal proliferation and differentiation, 219

zinc deficiency (Correspondence), 1027

Authors

ABE, H. *see* KAWADA, A.
ABRAHA, H.D., FULLER, L.C., DU VIVIER, A.W.P., HIGGINS, E.M. & SHERWOOD, R.A. Serum S-100 protein: a potentially useful prognostic marker in cutaneous melanoma, 381
ABSOLON, C.M., COTTRELL, D., ELDRIDGE, S.M. & GLOVER, M.T. Psychological disturbance in atopic eczema: the extent of the problem in school-aged children, 241
ACHTERBERG, V. *see* WLASCHEK, M.
ÁDÁM, É. *see* GYULAI, R.
ADAM, P. *see* GUPTA, A.K.
AGUIRRE, A. *see* VICENTE-CALLEJA, J.M.
AKIYAMA, M. *see* KAWADA, A.
ALBERT, D.M. *see* MELLERIO, J.E.
ALCONCHEL, M.D., OLIVARES, C. & ALVAREZ, R. Squamous cell carcinoma, malignant melanoma and malignant fibrous histiocytoma arising in burn scars, 793
ALDRIDGE, R.D. *see* SZEPIETOWSKI, J.C.
ALE, S.I., LAUGIER, J-P.K. & MAIBACH, H.I. Differential irritant skin responses to tandem application of topical retinoic acid and sodium lauryl sulphate: II. Effect of time between first and second exposure, 226
ALESSI, E., GIANOTTI, R. & COGGI, A. Multiple apocrine hidrocystomas of the eyelids, 642
ALEXIS, M.E. *see* GUPTA, A.K.
ALLBRITTON, J.I., NOUSARI, H.C. & ANHALT, G.J. Anti-epiligrin (laminin 5) cicatricial pemphigoid, 992
ALLEN, G.E. *see* ARMSTRONG, D.K.B.
ALLEN, J., SCHOMBERG, K. & WOJNAROWSKA, F. Physicochemical characterization and differentiation of the components of the cutaneous basement membrane zone, 907
ALLEN, J., ZHOU, S., WAKELIN, S.H., COLLIER, P.M. & WOJNAROWSKA, F. Linear IgA disease: a report of two dermal binding sera which recognise a pepsin-sensitive epitope (?NC-1 domain) of collagen type VII, 526
ALLEN, M. *see* CREAMER, D.
ALLEN, M. *see* PARKES, J.R.
ALMEIDA, D.R. *see* TOMIMORI-YAMASHITA, J.
ALPSOY, E. *see* ÇETIN, L.
ALVAREZ, R. *see* ALCONCHEL, M.D.
AMAGAI, M. *see* KUBO, A.
AMANTEA, A. *see* BALUS, L.
AMEGLIO, F. *see* D'AURIA, L.
AMERIO, P. *see* FELICIANI, C.
AMICHAI, B. & SHIRI, J. Weathering nodules of the ear in a young woman, 659
ANDO, I. *see* ITAMI, A.
ANDREW, S.M. *see* FERGUSON, J.E.
ANHALT, G.J. *see* ALLBRITTON, J.I.
ARATA, J. *see* TOMKOVÁ, H.
ARATA, J. *see* YAMASAKI, H.
ARCHER, C.B. *see* SABROE, R.A.
ARLETT, C.F. *see* WOOLLONS, A.
ARMSTRONG, D.K.B., WALSH, M.Y. & ALLEN, G.E. Elastosis perforans serpiginosa associated with unilateral atrophoderma of Pasini and Pierini in an indvidual with 47,XYY karyotype, 158
ASLANGUL, E. *see* DESCAMPS, V.
ASSOUS, M.V. *see* CORDOLIANI, F.
AUGUST, P.J. *see* FERGUSON, J.E.
AUTIO, P., TURPEINEN, M., RISTELI, J., KALLIOINEN, M., KIISTALA, U. & OIKARINEN, A. Ehlers–Danlos type IV: non-invasive techniques as diagnostic support, 653
AVRIL, M-F. *see* ROBERT, C.

BAILEY, A.J. *see* TARLTON, J.F.
BAIRD, R. *see* LIU, D.
BALABANOVA, M.B., BOTEV, I.N. & MICHAILOVA, J.I. Subacute cutaneous lupus erythematosus induced by radiation therapy, 648
BALUS, L., AMANTEA, A., DONATI, P., FAZIO, M., GIULIANO, M.C. & BELLOCCI, M. Fibroelastolytic papulosis of the neck: a report of 20 cases, 461
BARAN, R. Proximal subungual candida onychomycosis. An unusual manifestation of chronic mucocutaneous candidosis, 286
BARAN, R. *see* VIDAL, S.
BARANDUN, J. *see* TRÜEB, R.M.
BARKER, J. *see* CREAMER, D.
BARNES, L. *see* MURPHY, M.
BARON, J.M. *see* RÜBBEN, A.
BARTHÉLÉMY, H. *see* KANITAKIS, J.
BAŞARAN, E. *see* ÇETIN, L.
BAS-BERNAL, A. *see* RAMÓN-FABA, P.
BASTIAN, B.C. *see* DUMMER, W.
BATES, E.J., HYND, P.I., PENN, N.M. & NANCARROW, M.J. Serum-free culture of wool follicles: effects of nutrients, growth factors and hormones, 498
BAUER, R. *see* BOEHM, I.
BAYKAL, C. *see* ÖZGÜROĞLU, E.
BAYKAL, C. *see* ÖZKAYA-BAYAZIT, E.
BEDANE, C. *see* BOULINGUEZ, S.
BEHRENDT, H. *see* DARSOW, U.
BEHRENDT, H. *see* SCHÄFER, T.

BEIJERSBERGEN, R.L. *see* NIBBERING, P.H.
BELAICH, S. *see* DESCAMPS, V.
BELGAID, C.E. *see* BIRCH-MACHIN, M.A.
BELLOCCI, M. *see* BALUS, L.
BENATHAN, M. Glutathione efflux associated with a low γ-glutamyl transpeptidase activity in human melanoma cells, 721
BERARDESCA, E., DISTANTE, F., VIGNOLI, G.P., ORESAJO, C. & GREEN, B. Alpha hydroxyacids modulate stratum corneum barrier function, 934
BERDONDINI, R.M. *see* MANCUSO, G.
BERGER, H. *see* FAYYAZI, A.
BERNARD, B.A. *see* COMMO, S.
BERNARD, C. *see* GAUDILLÈRE, A.
BERNARD, P. *see* BOULINGUEZ, S.
BERNENGO, M.G. *see* SAVOIA, P.
BERTH-JONES, J. *see* HORROCKS, C.
BERTRAN, J. *see* CURCÓ, N.
BESSOU, S., GAUTHIER, Y., SURLÈVE-BAZEILLE, J.E., PAIN, C. & TAÏEB, A. Epidermal reconstructs in vitiligo: an extrinsic factor is needed to trigger the disease, 890
BEZEMER, A.C. *see* NIBBERING, P.H.
BHUSHAN, M., KUMAR, S. & GRIFFITHS, C.E.M. Multiple glomus tumours, Coats' disease and basic fibroblast growth factor, 454
BICKNELL, R. *see* CREAMER, D.
BIEBER, T. *see* BIEDERMANN, T.
BIEDERMANN, T., DEGITZ, K., SCHIRREN, C.G., BURGDORF, W., PLEWIG, G. & BIEBER, T. Leprosy type 1 reaction as the first manifestation of borderline lepromatous leprosy in a young native German, 1006
BILSLAND, D., DAWE, R., DIFFEY, B.L., FARR, P., FERGUSON, J., GEORGE, S., GREEN, C., GIBBS, N.K., MCGREGOR, J., VAN WEELDEN, H., WAINWRIGHT, N.J. & YOUNG, A.R. An appraisal of narrowband (TL-01) UVB phototherapy. British Photodermatology Group Workshop Report (April 1996), 327
BIRCH-MACHIN, M.A., HEALY, E., TURNER, R., HALDANE, F., BELGAID, C.E., DARLINGTON, S., STEPHENSON, A.M., MUNRO, C., MESSENGER, A.G. & REES, J.L. Mapping of monilethrix to the type II keratin gene cluster at chromosome 12q13 in three new families, including one with variable expressivity, 339
BJERKE, J.R. *see* VEIEN, N.K.
BLACK, M.M. *see* SETTERFIELD, J.
BLACKWELL, D. & SHUSTER, S. Dermatoglyphics in Darier's disease, 401
BLOUNT, M.A. *see* WESTGATE, G.E.
BOECK, K., HOFMANN, S., KLOPFER, M., IAN, U., SCHMIDT, T., ENGST, R., THIRKILL, C.E. & RING, J. Melanoma-associated paraneoplastic retinopathy: case report and review of the literature, 457
BOEHM, I., SCHUPP, G. & BAUER, R. Milia en plaque arising in discoid lupus erythematosus, 649
BOEZEMAN, J.B.M. *see* GLADE, C.P.
BOGENRIEDER, T., GRIESE, D.P., SCHIFFNER, R., BÜTTNER, R., RIEGGER, G.A.J., HOHENLEUTNER, U. & LANDTHALER, M. Wells' syndrome associated with idiopathic hypereosinophilic syndrome, 978
BÖHM, M. *see* KÜTTING, B.
BONFILS, A. *see* DE BROUWER, B.
BÖNI, R., BURG, G., DOGUOGLU, A., ILG, E.C., SCHÄFER, B.W., MÜLLER, B. & HEIZMANN, C.W. Immunohistochemical localization of the Ca^{2+}-binding S100 proteins in normal human skin and melanocytic lesions, 39
BÖNI, R., MEULI, C. & DUMMER, R. Erysipelas melanomatosum, 833
BÖNI, R., STEINERT, H., HUCH BÖNI, R., VON SCHULTHESS, G.K., MEYER, J., DUMMER, R., BURG, G. & WESTERA, G. Radioiodine-labelled alpha-methyl-tyrosine in malignant melanoma: cell culture studies and results in patients, 96
BONIFATI, C. *see* D'AURIA, L.
BONNEFOY, A. *see* VENENCIE, P.Y.
BONNETBLANC, J.M. *see* BOULINGUEZ, S.
BONSMANN, G. *see* KÜTTING, B.
BONTÉ, F. *see* SERMADIRAS, S.
BOS, J.D. *see* SPULS, P.I.
BOSSUYT, P.M.M. *see* SPULS, P.I.
BOTEV, I.N. *see* BALABANOVA, M.B.
BOULINGUEZ, S., BERNARD, P., LACOUR, J.P., NICOT, T., BEDANE, C., ORTONNE, J.P. & BONNETBLANC, J.M. Bullous lichen sclerosus with chronic hepatitis C virus infection, 474
BOUNAMEAUX, H. *see* HAFNER, J.
BOURGEOIS, C. *see* ROBERT, C.
BOURKE, J.F., KEOHANE, S., LONG, C.C., KEMMETT, D., DAVIES, M., ZAKI, I. & GRAHAM-BROWN, R.A.C. Sweet's syndrome and malignancy in the U.K., 609
BOUSCARAT, F. *see* DESCAMPS, V.
BREIER, F., TRAUTINGER, F., JURECKA, W. & HÖNIGSMANN, H. Linear focal elastosis (elastotic striae): increased number of elastic fibres determined by a video measuring system, 955
BRINCKMANN, J. *see* TRONNIER, M.
BRITO-BABAPULLE, F. Patients with eosinophilic fasciitis should have a bone marrow examination to identify myelodysplasia, 316
BRÖCKER, E-B. *see* KÜCHLER, A.
BRÖCKER, E-B. *see* DUMMER, W.
BROMM, B. *see* DARSOW, U.
BUCHANAN, K.D. *see* REILLY, D.M.
BUCHNESS, M.R. *see* MEOLA, T.
BUNKER, C.B. *see* FEARFIELD, L.A.
BUNKER, C.B. *see* GOOPTU, C.
BURDEN, A.D. *see* GUPTA, G.
BURG, G. *see* BÖNI, R.
BURG, G. *see* TRÜEB, R.M.
BURGDORF, W. *see* BIEDERMANN, T.

BURGE, S. *see* STONE, N.
BURON, I. *see* RUBIO, F.A.
BURROWS, N.P. & RUSSELL JONES, R. Lupus erythematosus profundus with partial C4 deficiency, 651
BURTON, J.L. *see* LEEMING, J.P.
BÜTTNER, R. *see* BOGENRIEDER, T.
BÜYÜLBABANI, N. *see* ÖZGÜROĞLU, E.

CAMARGO, D. *see* RODRÍGUEZ, G.
CAMERON, H. & DAWE, R.S. Subcorneal pustular dermatosis (Sneddon–Wilkinson disease) treated with narrowband (TL-01) UVB therapy, 150
CAMERON, M.M. Can house dust mite-triggered atopic dermatitis be alleviated using acaricides?, 1
CAMP, R.D.R. *see* HORROCKS, C.
CARMICHAEL, A.J. *see* LILIC, D.
CARMICHAEL, A.J. *see* MORGAN, J.M.
CARMONA, M. *see* CURCÓ, N.
CASADO, M. *see* HERRANZ, P.
CASADO, M. *see* ROBAYNA, M.G.
CASADO, M. *see* RUBIO, F.A.
CATTEAU, B. *see* DELAPORTE, E.
CAUX, F., KIRTSCHIG, G., LEMARCHAND-VENENCIE, F., VENENCIE, P.-Y., HOANG-XUAN, T., ROBIN, H., DUBERTRET, L. & PROST, C. IgA-epidermolysis bullosa acquisita in a child resulting in blindness, 270
CERIO, R. *see* HALPERN, S.M.
CERIO, R. *see* LISTER, R.K.
ÇETIN, L., YILMAZ, E., ALPSOY, E. & BAŞARAN, E. High-dose rantidine is ineffective in the treatment of psoriasis, 1021
CHALLACOMBE, S.J. *see* SETTERFIELD, J.
CHAN, H.L. *see* CHUANG, Y.H.
CHANG, S.N., KIM, S-C., LEE, I-J., SEO, S-J., HONG, C-K. & PARK, W-H. Transition from pemphigus vulgaris to pemphigus foliaceus, 303
CHARLES-HOLMES, R. *see* DHARMAGUNAWARDENA, B.
CHIMENTI, S. *see* PERIS, K.
CHO, H-I. *see* CHO, K-H.
CHO, K.H. *see* YANG, S.G.
CHO, K-H., KIM, C-W., KWON, O-S., YANG, S-G., PARK, K-C., PARK, M-H., CHO, H-I. & KIM, J-G. Epstein–Barr virus-associated lymphoproliferative eruption with progression to large granular lymphocytic leukaemia, 426
CHRISTEN, Y. *see* HAFNER, J.
CHRISTOFIDOU, E. *see* RIGOPOULOS, D.
CHUANG, Y.H., KUO, T.T., WANG, C.M., WANG, C.N., WONG, W.R. & CHAN, H.L. Simultaneous occurrence of papulonecrotic tuberculide and erythema induratum and the identification of *Mycobacterium tuberculosis* DNA polymerase chain reaction, 276
CLARK, S.M. *see* GOULDEN, V.
CLAUDY, A. *see* GAUDILLÈRE, A.
CLAUDY, A. *see* GHOHESTANI, R.
CLAUDY, A. *see* GHOHESTANI, R.F.
CLAUDY, A. *see* HAFTEK, M.
CLAUDY, A. *see* KANITAKIS, J.
CLINGEN, P.H. *see* WOOLLONS, A.
COGGI, A. *see* ALESSI, E.
COLLIER, P.M. *see* ALLEN, J.
COLLINS, P., ROBINSON, D.J., STRINGER, M.R., STABLES, G.I. & SHEEHAN-DARE, R.A. The variable response of plaque psoriasis after a single treatment with topical 5-aminolaevulinic acid photodynamic therapy, 743
COLOE, S. *see* LIU, D.
COMMO, S. & BERNARD, B.A. Immunohistochemical analysis of tissue remodelling during the anagen–catagen transition of the human hair follicle, 31
CONRERAS, F. *see* RUBIO, F.A.
CORDIALI FEI, P. *see* D'AURIA, L.
CORDOLIANI, F., VIGNON-PENNAMEN, M.D., ASSOUS, M.V., VABRES, P., DRONNE, P., RYBOJAD, M. & MOREL, P. Atypical Lyme borreliosis in an HIV-infected man, 437
COTTERILL, J.A. & CUNLIFFE, W.J. Suicide in dermatological patients, 246
COTTRELL, D. *see* ABSOLON, C.M.
COZZANI, E. *see* GHOHESTANI, R.
CRAIG, P.S. & DIFFEY, B.L. A prospective longitudinal study of the outdoor behaviour and symptoms of photosensitive patients, 391
CRAVEN, N.M., WATSON, R.E.B., JONES, C.J.P., SHUTTLEWORTH, C.A., KIELTY, C.M. & GRIFFITHS, C.E.M. Clinical features of photodamaged human skin are associated with a reduction in collagen VII, 344
CREAMER, D., JAGGAR, R., ALLEN, M., BICKNELL, R. & BARKER, J. Overexpression of the angiogenic factor platelet-derived endothelial cell growth factor/thymidine phosphorylase in psoriatic epidermis, 851
CRESPO, V. *see* VICENTE-CALLEJA, J.M.
CREUS, L., SALLERAS, M., SOLA, M.A., PAEZ, A.M. & UMBERT, P. Erythema elevatum diutinum associated with pulmonary infiltrates, 652
CRIBIER, B. *see* MICHEL, C.
CRICKX, B. *see* DESCAMPS, V.
CRUM, C. *see* ROSS, E.V.
CUNLIFFE, W.J. *see* COTTERILL, J.A.
CUNLIFFE, W.J. *see* GOULDEN, V.
CURCÓ, N., SERVITJE, O., LLUCIÀ, M., BERTRAN, J., LIMÓN, A., CARMONA, M., ROMAGOSA, V. & PEYRÍ, J. Genotypic analysis of cutaneous T-cell lymphoma: a comparative study of Southern blot analysis with polymerase chain reaction amplification of the T-cell receptor-γ gene, 673

D'ASCENZO, G. *see* MIRACCO, C.
D'AURIA, L., CORDIALI FEI, P., PIETRAVALLE, M., FERRARO, C., MASTROIANNI, A., BONIFATI, C., GIACALONE, B. & AMEGLIO, F. The serum levels of sE-selectin are increased in patients with bullous pemphigoid or pemphigus vulgaris. Correlation with the number of skin lesions and recovery

after corticosteroid therapy, 59
DALE, B.A. *see* ISHIDA-YAMAMOTO, A.
DALE, B.A. *see* KAM, E.
DAOUD, M.S. *see* GIBSON, G.E.
DARLEY, C.R. *see* UTHAYAKUMAR, S.
DARLINGTON, S. *see* BIRCH-MACHIN, M.A.
DARSOW, U., BEHRENDT, H. & RING, J. Gramineae pollen as trigger factors of atopic eczema: evaluation of diagnostic measures using the atopy patch test, 201
DARSOW, U., SCHAREIN, E., BROMM, B. & RING, J. Skin testing of the pruritogenic activity of histamine and cytokines (interleukin-2 and tumour necrosis factor-α) at the dermal–epidermal junction, 415
DAS, P.K. *see* LE POOLE, I.C.
DAVID, M. *see* HODAK, E.
DAVIES, J.M. *see* PARKES, I.R.
DAVIES, M. *see* BOURKE, J.F.
DAVIES, M.G. *see* NIGHTINGALE, K.J.
DAWE, R. *see* BILSLAND, D.
DAWE, R.S. & FERGUSON, J. A family with actinic prurigo and polymorphic light eruption, 827
DAWE, R.S. & FERGUSON, J. Prolonged benefit following ultraviolet A phototherapy for solar urticaria, 144
DAWE, R.S. *see* CAMERON, H.
DAWE, R.S., NAIDOO, D.K. & FERGUSON, J. Severe bullous pemphigoid responsive to pulsed intravenous dexamethasone and oral cyclophosphamide, 826
DE ALOE, G. *see* MAZZATENTA, C.
DE ALOE, G. *see* MIRACCO, C.
DE BERKER, D. *see* KAVANAGH, G.M.
DE BERKER, D. *see* WESTGATE, G.E.
DE BROUWER, B., TÉTELIN, C., LEROY, T., BONFILS, A. & VAN NESTE, D. A controlled study of the effects of RU58841, a non-steroidal antiandrogen, on human hair production by balding scalp grafts maintained on testosterone-conditioned nude mice, 699
DE DONCKER, P. *see* GUPTA, A.K.
DE FELIPE, I., VÁZQUEZ-DOVAL, F.J. & VICENTE, J. Comel–Netherton syndrome. A diagnostic challege, 468
DE JONG, E.M.G.J. *see* KUIJPERS, A.L.A.
DE LUCAS, R. *see* HERRANZ, P.
DE SANTI, M.M. *see* MIRACCO, C.
DE SEIXAS, M.-T. *see* TOMIMORI-YAMASHITA, J.
DEGITZ, K. *see* BIEDERMANN, T.
DELAPORTE, E., CATTEAU, B. & PIETTE, F. Necrolytic migratory erythema-like eruption in zinc deficiency associated with alcoholic liver disease, 1027
DELLA SANTA, D. *see* HAFNER, J.
DEMIRHAN, B. *see* SECKIN, D.
DEPS, P.D. *see* TOMIMORI-YAMASHITA, J.
DEROO, M., EECKHOUT, I. & NAEYAERT, J-M. Eruptive satellite vascular malformations after removal of a melanocytic naevus, 292
DESCAMPS, D. *see* DESCAMPS, V.
DESCAMPS, V., BOUSCARAT, F., LAGLENNE, S., ASLANGUL, E., VEBER, B., DESCAMPS, D., SARAUX, J-L., GRANGE, M.J., GROSSIN, M., NAVRATIL, E., CRICKX, B. & BELAICH, S. Human herpesvirus 6 infection associated with anticonvulsant hypersensitivity syndrome and reactive haemophagocytic syndrome, 605
DHARMAGUNAWARDENA, B. & CHARLES-HOLMES, R. Median canaliform dystrophy following isotretinoin therapy, 658
DÍAZ, R. *see* HERRANZ, P.
DÍAZ-PÉREZ, J.L. *see* VICENTE-CALLEJA, J.M.
DIFFEY, B.L. & GRICE, J. The influence of sunscreen type on photoprotection, 103
DIFFEY, B.L. *see* BILSLAND, D.
DIFFEY, B.L. *see* CRAIG, P.S.
DIFFEY, B.L. *see* STEELE, M.C.
DIRIDL, E., HÖNIGSMANN, H. & TANEW, A. Wells' syndrome responsive to PUVA therapy, 479
DISTANTE, F. *see* BERARDESCA, E.
DOBOZY, A. *see* GYULAI, R.
DOBOZY, A. *see* MEHRAVARAN, M.
DOCKERY, D. *see* SCHÄFER, T.
DOGUOGLU, A. *see* BÖNI, R.
DOI, T. *see* KUBO, A.
DONATI, P. *see* BALUS, L.
DONATI, P. *see* PERIS, K.
DOUGLAS, W.S. *see* URCELAY, M.L.
DRINKWATER, T. *see* UTHAYAKUMAR, S.
DRONNE, P. *see* CORDOLIANI, F.
DRYSCH, K. *see* KLYSCZ, T.
DU VIVIER, A.W.P. *see* ABRAHA, H.D.
DUBERTRET, L. *see* CAUX, F.
DUBERTRET, L. *see* ROBERT, C.
DUMAS, M. *see* SERMADIRAS, S.
DUMMER, R. *see* BÖNI, R.
DUMMER, W., BRÖCKER, E-B. & BASTIAN, B.C. Elevated serum levels of soluble CD30 are associated with atopic dermatitis, but with respiratory atopic disorders and allergic contact dermatitis, 185
DURICK, W.J. *see* ROBINOWITZ, B.N.

EADY, R.A.J. *see* MELLERIO, J.E.
EECKHOUT, I. *see* DEROO, M.
EKANAYAKE-MUDIYANSELAGE, S. *see* ENGELKE, M.
ELDRIDGE, S.M. *see* ABSOLON, C.M.
ELWARY, S.M.A., HEADLEY, K. & SCHALLREUTER, K.U. Calcium homeostatis influences epidermal sweating in patients with vitiligo, 81
ENDO, Y., TAMURA, A., ISHIKAWA, O., MIYACHI, Y. & HASHIMOTO, T. Psoriasis vulgaris coexistent with epidermolysis bullosa acquisita, 783
ENERBÄCK, C. *see* SWANBECK, G.
ENGELKE, M., JENSEN, J-M., EKANAYAKE-MUDIYANSELAGE, S. & PROKSCH, E. Effects of xerosis and ageing on epidermal

proliferation and differentiation, 219
ENGST, R. *see* BOECK, K.
ENLUND, F. *see* SWANBECK, G.
ENOKIHARA, M.M.S.S. *see* TOMIMORI-YAMASHITA, J.
ESTERLY, N.B. *see* ZVULUNOV, A.

FALLOWFIELD, M. *see* LUCKE, T.
FALLOWFIELD, M.E. *see* GUPTA, G.
FANTI, P.A. *see* MANCUSO, G.
FARHNGRUBER, H. *see* MEINGASSNER, J.G.
FARR, P. *see* BILSLAND, D.
FASCIOCCO, D. *see* FELICIANI, C.
FAURE, M. *see* KANITAKIS, J.
FAYYAZI, A., SORURI, A., RADZUN, H.J., PETERS, J.H. & BERGER, H. Cell renewal, cell differentiation and programmed cell death (apoptosis) in pilomatrixoma, 714
FAZIO, M. *see* BALUS, L.
FEARFIELD, L.A., GAZZARD, B. & BUNKER, C.B. Aquagenic urticaria and human immunodeficiency virus infection: treatment with stanozolol, 620
FEINMESSER, M. *see* HODAK, E.
FELICIANI, C., FASCIOCCO, D., FRANCHI, A. & AMERIO, P. Epidermolysis bullosa acquisita in a 10-year-old Albanian boy, 307
FERDINANDO, D. *see* REILLY, D.M.
FERGUSON, J. *see* BILSLAND, D.
FERGUSON, J. *see* DAWE, R.S.
FERGUSON, J.E., ANDREW, S.M., JONES, C.J.P. & AUGUST, P.J. The Q-switched neodymium:YAG laser and tattoos: a microscopic analysis of laser–tattoo interactions, 405
FERRARO, C. *see* D'AURIA, L.
FEUERMAN, H. *see* HODAK, E.
FIALA, B., KOPP, M. & GÜNTHER, V. Why do young women use sunbeds? A comparative psychological study, 950
FIERRO, M.T. *see* SAVOIA, P.
FILIOTOU, A. *see* KALOTERAKIS, A.
FIMIANI, M. *see* MAZZATENTA, C.
FIMIANI, M. *see* MIRACCO, C.
FINLAY, A.Y. *see* NEWTON, J.N.
FLECKMAN, P. *see* KAM, E.
FLETCHER, S. *see* SEUKERAN, D.
FORTUNE, D.G., MAIN, C.J., O'SULLIVAN, T.M. & GRIFFITHS, C.E.M. Quality of life in patients with psoriasis: the contribution of clinical variables and psoriasis-specific stress, 755
FRANCHI, A. *see* FELICIANI, C.
FREYMÜLLER, E. *see* TOMIMORI-YAMASHITA, J.
FROST, C. *see* NGUYEN, T.D.
FUJIMOTO, M., KIKUCHI, K., TAMAKI, T., YAZAWA, N., KUBO, M., IHN, H., SATO, S., SOMA, Y. & TAMAKI, K. Distribution of anti-p80-coilin autoantibody in collagen diseases and various skin diseases, 916
FUJIMOTO, W. *see* TOMKOVÁ, H.
FUJIWARA, H. *see* TAKATA, M.
FULLER, L.C. *see* ABRAHA, H.D.
FULLERTON, A. & SERUP, J. Characterization of irritant patch test reactions to topical D vitamins and *all-trans* retinoic acid in comparison with sodium lauryl sulphate. Evaluation by clinical scoring and multiparametric non-invasive measuring techniques, 234
FURUE, M. *see* OKOCHI, H.

GÅNEMO, A. & VAHLQUIST, A. Lamellar ichthyosis is markedly improved by a novel combination of emollients, 1017
GARCÍA, J. *see* HERRANZ, P.
GARCÍA-VERA, E. *see* RODRÍGUEZ-CUARTERO, A.
GAUDILLÈRE, A., MISERY, L., BERNARD, C., SOUCHIER, C., CLAUDY, A. & SCHMITT, D. Presence of somatostatin in normal human epidermis, 376
GAUTHIER, Y. *see* BESSOU, S.
GAZZARD, B. *see* FEARFIELD, L.A.
GEDDES, J.R. *see* MELLERIO, J.E.
GEORGALA, S. *see* RIGOPOULOS, D.
GEORGE, S. *see* BILSLAND, D.
GEORGE, S.A. *see* ORTON, D.I.
GERDSEN, R. *see* REINHOLD, U.
GEUNA, M. *see* SAVOIA, P.
GHOHESTANI, R., JOLY, P., GILBERT, D., NICOLAS, J.F., THOMINE, E., COZZANI, E., LAURET, PH., CLAUDY, A. & TRON, F. Autoantibody formation against a 190-kDa antigen of the desmosomal plaque in pemphigus foliaceus, 774
GHOHESTANI, R.F. & CLAUDY, A. Immunofluorescence-negative bullous pemphigoid sera contain antibodies mostly directed against the 180 kDa bullous pemphigoid antigen (BPAg2), 306
GIACALONE, B. *see* D'AURIA, L.
GIANOTTI, R. *see* ALESSI, E.
GIBBS, N.K. *see* BILSLAND, D.
GIBSON, G.E., DAOUD, M.S. & PITTELKOW, M.R. Anti-epiligrin (laminin 5) cicatricial pemphigoid and lung carcinoma: coincidence or association?, 780
GILBERT, D. *see* GHOHESTANI, R.
GILLETT, P. *see* STONE, N.
GIORGINO, G. *see* MAZZATENTA, C.
GIRDWOOD, R.W.A. *see* LOUGHREY, M.B.
GIULIANO, M.C. *see* BALUS, L.
GLADE, C.P., VAN ERP, P.E.J., BOEZEMAN, J.B.M. & VAN DE KERKHOF, P.C.M. Multiparameter flow cytometry as a tool to evaluate antipsoriatic therapy, 367
GLOVER, M.T. *see* ABSOLON, C.M.
GODAY, J.J. *see* YANGUAS, I.
GODEAU, G. *see* VENENCIE, P.Y.
GOGLY, B. *see* VENENCIE, P.Y.
GOLDBERG, N.S. Pruritic urticarial papules and plaques of pregnancy in triplet pregnancy, 161
GONZÁLEZ, J. *see* HERRANZ, P.
GONZÁLEZ, J. *see* ROBAYNA, M.G.
GONZÁLEZ-GÜEMES, M. *see* YANGUAS, I.

GONZÁLEZ-MEDIERO, I. *see* NAGORE, E.
GONZÁLEZ-PÉREZ, R. *see* VICENTE-CALLEJA, J.M.
GOOPTU, C., WOOLLONS, A., ROSS, J., PRICE, M., WOJNAROWSKA, F., MORRIS, P.J., WALL, S. & BUNKER, C.B. Merkel cell carcinoma arising after therapeutic immunosuppression, 637
GORDON, D.J., OSTLERE, L.S. & HOLDEN, C.A. Neuropeptide modulation of Th1 and Th2 cytokines in peripheral blood mononuclear leucocytes in atopic dermatitis and non-atopic controls, 921
GOULDEN, V., CLARK, S.M., MCGEOWN, C. & CUNLIFFE, W.J. Treatment of acne with intermittent moderate dose isotretinoin, 106
GRAHAM-BROWN, R.A.C. *see* BOURKE, J.F.
GRANGE, M.J. *see* DESCAMPS, V.
GRASSBERGER, M. *see* MEINGASSNER, J.G.
GREEN, A. *see* NGUYEN, T.D.
GREEN, B. *see* BERARDESCA, E.
GREEN, C. *see* BILSLAND, D.
GREEN, L. *see* NGUYEN, T.D.
GREEN, M.H.L. *see* WOOLLONS, A.
GREEN, M.R. *see* REILLY, D.M.
GRICE, J. *see* DIFFEY, B.L.
GRIESE, D.P. *see* BOGENRIEDER, T.
GRIFFITHS, C.E.M. *see* BHUSHAN, M.
GRIFFITHS, C.E.M. *see* CRAVEN, N.M.
GRIFFITHS, C.E.M. *see* FORTUNE, D.G.
GRIFFITHS, W.A.D. *see* RATNAVEL, R.C.
GROSSHANS, E. *see* MICHEL, C.
GROSSHANS, E. *see* ROBERT, C.
GROSSIN, M. *see* DESCAMPS, V.
GROULT, N. *see* VENENCIE, P.Y.
GRUENDER, K. *see* MAYSER, P.
GRUSSENDORF-CONEN, E-I. *see* RÜBBEN, A.
GUÉHO, E. *see* MAYSER, P.
GUILLAUME, J-C. *see* ROBERT, C.
GÜNTHER, V. *see* FIALA, B.
GUPTA, A.K., ALEXIS, M.E., RABOOBEE, N., HOFSTADER, S.L.R., LYNDE, C.W., ADAM, P., SUMMERBELL, R.C. & DE DONCKER, P. Itraconazole pulse therapy is effective in the treatment of tinea capitis in children: an open multicentre study, 251
GUPTA, G., BURDEN, A.D., SHANKLAND, G.S., FALLOWFIELD, M.E. & RICHARDSON, M.D. Tinea nigra secondary to *Exophiala werneckii* responding to itraconazole, 483
GUTZMER, R. *see* HERBST, R.A.
GYULAI, R., KEMÉNY, L., KISS, M., NAGY, S., ÁDÁM, É., NAGY, F. & DOBOZY, A. Human herpesvirus 8 DNA sequences in angiosarcoma of the face, 467

HACKLEY JR, B.E. *see* SMITH, K.J.
HADJIYANNIS, S. *see* KALOTERAKIS, A.
HAFNER, J., DELLA SANTA, D., ZUBER, C., CHRISTEN, Y. & BOUNAMEAUX, H. Digital sympathectomy (microarteriolysis) in the treatment of severe Raynaud's phenomenon secondary to systemic sclerosis, 1019
HAFTEK, M., SIMON, M., KANITAKIS, J., MARÉCHAL, S., CLAUDY, A., SERRE, G. & SCHMITT, D. Expression of corneodesmosin in the granular layer and stratum corneum of normal and diseased epidermis, 864
HAGARI, Y. *see* MIYAMOTO, T.
HAGER, B. *see* KAM, E.
HAHN, M. *see* KLYSCZ, T.
HALDANE, F. *see* BIRCH-MACHIN, M.A.
HALPERN, S.M., PARSLEW, R., CERIO, R., KIRBY, J.T.D. & SHARPE, G.R. Kaposi's sarcoma associated with immunosuppression for bullous pemphigoid, 140
HAMM, H. *see* KÜCHLER, A.
HAN, K.H. *see* YANG, S.G.
HAN-YAKU, H. *see* HASHIMOTO, T.
HARA, K. *see* KAWADA, A.
HARDING, K.G. *see* MOORE, K.
HARRINGTON, C.I. Post-adolescent acne and marital break-up, 478
HARTL, C. *see* REINHOLD, U.
HASHIMOTO, K. *see* HASHIMOTO, T.
HASHIMOTO, K. *see* KUBO, A.
HASHIMOTO, K. *see* MARUYAMA, M.
HASHIMOTO, T. *see* ENDO, Y.
HASHIMOTO, T. *see* KUBO, A.
HASHIMOTO, T. *see* SALMHOFER, W.
HASHIMOTO, T., HAN-YAKU, H., HIGASHIYAMA, M., HASHIMOTO, K., IWATSUKI, K., KANEKO, F., MURAKAMI, H. & NISHIKAWA, T. Four Japanese patients with cicatricial pemphigoid showing both IgG and IgA antibodies against the 180 kDa bullous pemphigoid antigen, 305
HASHIMOTO, Y. *see* ISHIDA-YAMAMOTO, A.
HATANO, Y. *see* KATAGIRI, K.
HATTA, N. *see* TAKATA, M.
HAY, R.J. *see* WHITTAM, L.R.
HAYNES, S.L., SHUTTLE WORTH, C.A. & KIELTY, C.M. Keratinocytes express fibrillin and assemble microfibrils: implications for dermal matrix organization, 17
HAZE, P. *see* MAYSER, P.
HEADLEY, K. *see* ELWARY, S.M.A.
HEALY, E. *see* BIRCH-MACHIN, M.A.
HEATON, D.C. *see* SNOWDEN, J.A.
HEIZMANN, C.W. *see* BÖNI, R.
HERBST, H., SANDER, C., TRONNIER, M., KUTZNER, H., HÜGEL, H. & KAUDEWITZ, P. Absence of anaplastic lymphoma kinase (ALK) and Epstein–Barr virus gene products in primary cutaneous anaplastic large cell lymphoma and lymphomatoid papulosis, 680
HERBST, R.A., GUTZMER, R., JUNG, E.G., KAPP, A. & WEISS, J. Focal neurological signs and symptoms induced by interferon-α in two patients with malignant melanoma, 1023
HERNÁNDEZ, B. *see* VIDAL, S.

HERRANZ, P. *see* ROBAYNA, M.G.
HERRANZ, P., GARCÍA, J., DE LUCAS, R., GONZÁLEZ, J., PEÑA, J.M., DÍAZ, R. & CASADO, M. Toenail onychomycosis in patients with acquired immune deficiency syndrome: treatment with terbinafine, 577
HIGASHIYAMA, M. *see* HASHIMOTO, T.
HIGASHIYAMA, M. *see* KUBO, A.
HIGGINS, E.M. *see* ABRAHA, H.D.
HIRUMA, M. *see* KAWADA, A.
HOANG-XUAN, T. *see* CAUX, F.
HODAK, E., TRATTNER, A., FEUERMAN, H., FEINMESSER, M., TSVIELI, R., MITRANI-ROSENBAUM, S. & DAVID, M. Lupus miliaris desseminatus faciei—the DNA of *Mycobacterium tuberculosis* is not detectable in active lesions by polymerase chain reaction, 614
HOEKZEMA, R. *see* VERHAEGH, M.E.J.M.
HÖFLER, H. *see* PERIS, K.
HOFMANN, S. *see* BOECK, K.
HOFSTADER, S.L.R. *see* GUPTA, A.K.
HOHENLEUTNER, U. *see* BOGENRIEDER, T.
HOLDEN, C.A. *see* GORDON, D.J.
HOLDER, J.E. *see* HORROCKS, C.
HOLE, D.J. *see* LUCKE, T.W.
HONDA, M., SAIJO, S. & TAGAMI, H. Majocchi's disease in a newborn baby: a familial case, 655
HONDA, M., SUZUKI, T., KUDOH, K. & TAGAMI, H. Bowen's disease developing within a Becker's melanosis (Becker's naevus), 659
HONG, C-K. *see* CHANG, S.N.
HÖNIGSMANN, H. *see* BREIER, F.
HÖNIGSMANN, H. *see* DIRIDL, E.
HORNEBECK, W. *see* VENENCIE, P.Y.
HORROCKS, C., HOLDER, J.E., BERTH-JONES, J. & CAMP, R.D.R. Antigen-independent expansion of T-cells from psoriatic skin lesions: phenotypic characterization and antigen reactivity, 331
HOSOKAWA, K. *see* NISHIMOTO, S.
HOTTA, M. *see* MITSUI, S.
HUCH BÖNI, R. *see* BÖNI, R.
HÜGEL, H. *see* HERBST, H.
HUGHES, R.A.C. *see* WHITTAM, L.R.
HUNTER, J.A.A. *see* KAVANAGH, G.M.
HUNTER, J.A.A. *see* SZEPIETOWSKI, J.C.
HURST, C.G. *see* SMITH, K.J.
HUSZ, S. *see* MEHRAVARAN, M.
HYND, P.I. *see* BATES, E.J.
HÝZEL, N. *see* SECKIN, D.

IAN, U. *see* BOECK, K.
ICHIKAWA, E. *see* KAWADA, A.
IGLESIAS ZAMORA, M.E. & VÁZQUEZ-DOVAL, F.J. Epidermal naevi associated with trichilemmal cysts and chromosomal mosaicism, 821
IHN, H. *see* FUJIMOTO, M.
IIZUKA, H. *see* ISHIDA-YAMAMOTO, A.
IKEYA, T. *see* TAKAMA, H.
ILG, E.C. *see* BÖNI, R.
INAGI, R. *see* NISHIMOTO, S.
INEROT, A. *see* SWANBECK, G.
IRVINE, A.D. *see* LOUGHREY, M.B.
ISHIBASHI, A. *see* KAWADA, A.
ISHIDA-YAMAMOTO, A., HASHIMOTO, Y., MANABE, M., O'GUIN, W.M., DALE, B.A. & IIZUKA, H. Distinctive expression of filaggrin and trichohyalin during various pathways of epithelial differentiation, 9
ISHIHAMA, Y. *see* NAKAGAWA, T.
ISHIKAWA, O. *see* ENDO, Y.
ISHIKAWA, O. *see* NAGAI, Y.
ISHIKAWA, O. *see* OKADA, K.
ISHIKAWA, O., MIYACHI, Y. & WATANABE, H. Hypocomplementaemic urticarial vasculitis associated with Jaccoud's syndrome, 804
ITAMI, A., ANDO, I., KUKITA, A. & NAGAI, K. Pellagra associated with amyloidosis secondary to multiple myeloma, 829
ITAMI, S. *see* KATAGIRI, K.
ITO, A. *see* SATOH, S.
IWASAKI, K. *see* MIYAMOTO, T.
IWASAKI, K., IZAWA, M. & MIHARA, M. Thermal injury induces both necrosis and apoptosis in rat skin, 647
IWASAKI, T. *see* NAGATA, M.
IWATSUKI, K. *see* HASHIMOTO, T.
IZAWA, M. *see* IWASAKI, K.
IZUMI, T. *see* SATOH, S.

JAGGAR, R. *see* CREAMER, D.
JAKOBSEN, H.B. *see* VEIEN, N.K.
JANSEN, T. & PLEWIG, G. Fulminating rosacea conglobata (rosacea fulminans) and ulcerative colitis, 830
JARDINE, P.E. *see* KAVANAGH, G.M.M.
JEMEC, G.B.E. & WULF, H.C. Assessment of morbidity from skin diseases, 157
JENSEN, J-M. *see* ENGELKE, M.
JESKANEN, L. *see* KARONEN, T.
JOHNSTON, C. *see* REILLY, D.M.
JOLY, P. *see* GHOHESTANI, R.
JOLY-BERVILLE, R. *see* SERMADIRAS, S.
JONES, C.J.P. *see* CRAVEN, N.M.
JONES, C.J.P. *see* FERGUSON, J.E.
JORCANO, J.L. *see* PARAMIO, J.M.
JUNG, E.G. *see* HERBST, R.A.
JÜNGER, M. *see* KLYSCZ, T.
JURECKA, W. *see* BREIER, F.

KAKIBUCHI, M. *see* NISHIMOTO, S.
KALLIOINEN, M. *see* AUTIO, P.
KALOTERAKIS, A., STAVRIANEAS, N.G., KARAGIANNI, I.N., FILIOTOU, A., KATOULIS, A.C., VARELTZIDES, A. &

HADJIYANNIS, S. Adamantiades–Behçet's disease coexisting with acute myeloblastic leukaemia, 317
KAM, E., NIRUNSUKSIRI, W., HAGER, B., FLECKMAN, P. & DALE, B.A. Protein phosphatase activity in human keratinocytes cultured from normal epidermis and epidermis from patients with harlequin ichthyosis, 874
KAMIYA, H. *see* SATOH, S.
KÄMPGEN, E. *see* KÜCHLER, A.
KANEKO, F. *see* HASHIMOTO, T.
KANITAKIS, J. *see* HAFTEK, M.
KANITAKIS, J., BARTHÉLÉMY, H., FAURE, M. & CLAUDY, A. Intracellular expression of type VII collagen in squamous cell carcinoma complicating dystrophic epidermolysis bullosa, 310
KAPP, A. *see* HERBST, R.A.
KARAGIANNI, I.N. *see* KALOTERAKIS, A.
KARONEN, T., JESKANEN, L. & KESKI-OJA, J. Transforming growth factor-β1 and its latent form binding protein-1 associate with elastic fibres in human dermis: accumulation in actinic damage and absence in anetoderma, 51
KATAGIRI, K., ITAMI, S., HATANO, Y., YAMAGUCHI, T. & TAKAYASU, S. *In vivo* expression of IL-4, IL-5, IL-13 and IFN-γ mRNAs in peripheral blood mononuclear cells and effect of cyclosporin A in a patient with Kimura's disease, 972
KATAYAMA, I. *see* YAMAMOTO, T.
KATO, M. *see* OKOCHI, H.
KATOULIS, A.C. *see* KALOTERAKIS, A.
KATOULIS, A.C. *see* RIGOPOULOS, D.
KATUGAMPOLA, G.A. & LANIGAN, S.W. Five years' experience of treating port wine stains with the flashlamp-pumped pulsed dye laser, 750
KATUGAMPOLA, G.A., LANIGAN, S.W. & REES, A.M. Normal distribution of endothelin in port wine stain vasculature, 323
KAUDEWITZ, P. *see* HERBST, H.
KAUFMANN, R. *see* NIEMCZYK, U.M.
KAVANAGH, G.M., MATHESON, L.M., THWAITES, D.J. & HUNTER, J.A.A. Electron beam therapy in Arndt–Gottron's scleromyxoedema, 152
KAVANAGH, G.M.M., JARDINE, P.E., PEACHEY, R.D., MURRAY, J.C. & DE BERKER, D. The scleroatrophic syndrome of Huriez, 114
KAWADA, A., HARA, K., KOMINAMI, E., HIRUMA, M., AKIYAMA, M., ISHIBASHI, A., ABE, H., ICHIKAWA, E., NAKAMURA, Y., WATANABE, S., YAMAMOTO, T., UMEDA, T. & NISHIOKA, K. Expression of cathepsin D and B in invasion and metastasis of squamous cell carcinoma, 361
KAWAHARA, Y. *see* SALMHOFER, W.
KELLER, G. *see* PERIS, K.
KEMÉNY, L. *see* GYULAI, R.
KEMÉNY, L. *see* MEHRAVARAN, M.
KEMMETT, D. *see* BOURKE, J.F.
KENNEDY, C.T.C. *see* SABROE, R.A.
KEOHANE, S. *see* BOURKE, J.F.
KEOHANE, S.G. *see* SZEPIETOWSKI, J.C.
KERL, H. *see* SALMHOFER, W.
KESKI-OJA, J. *see* KARONEN, T.
KIELTY, C.M. *see* CRAVEN, N.M.
KIELTY, C.M. *see* HAYNES, S.L.
KIISTALA, U. *see* AUTIO, P.
KIKUCHI, K. *see* FUJIMOTO, M.
KILKENNY, M. *see* YEATMAN, J.M.
KIM, C-W. *see* CHO, K-H.
KIM, J-G. *see* CHO, K-H.
KIM, S-C. *see* CHANG, S.N.
KIRBY, B. & ROGERS, S. Treatment of PUVA itch with capsaicin, 152
KIRBY, J.T.D. *see* HALPERN, S.M.
KIRTSCHIG, G. *see* CAUX, F.
KISHIMOTO, S., TAKENAKA, H., SHIBAGAKI, R., NAGATA, M. & YASUNO, H. Verruciform xanthoma in association with a vulval fibroepithelial polyp, 816
KISS, M. *see* GYULAI, R.
KISS, M. *see* MEHRAVARAN, M.
KITAJIMA, Y. *see* SATOH, S.
KLASSEN, A. *see* NEWTON, J.N.
KLIGMAN, A.M. *see* PAGNONI, A.
KLOPFER, M. *see* BOECK, K.
KLYSCZ, T., HAHN, M., DRYSCH, K. & JÜNGER, M. Pavlovian conditioning in cold-exposure tests in Raynaud's phenomenon: pitfalls in diagnosis, 482
KOBAYASHI, T. *see* MIYAMOTO, T.
KOHLER, E. *see* TRÜEB, R.M.
KOLLIAS, N. *see* ROSS, E.V.
KOMINAMI, E. *see* KAWADA, A.
KONDO, A. *see* OKADA, K.
KONTINEN, J. *see* SAVOLAINEN, L.
KOPP, M. *see* FIALA, B.
KOROM, I. *see* MEHRAVARAN, M.
KÖSER, T. *see* TRONNIER, M.
KRÄMER, U. *see* SCHÄFER, T.
KREYSEL, H.W. *see* REINHOLD, U.
KUBO, A., AMAGAI, M., HASHIMOTO, T., DOI, T., HIGASHIYAMA, M., HASHIMOTO, K. & YOSHIKAWA, K. Herpetiform pemphigus showing reactivity with pemphigus vulgaris antigen (desmoglein 3), 109
KUBO, M. *see* FUJIMOTO, M.
KÜCHLER, A., HAMM, H., WEIDENTHALER-BARTH, B., KÄMPGEN, E. & BRÖCKER, E-B. Acute generalized exanthematous pustulosis following oral nystatin therapy: a report of three cases, 808
KUDOH, K. *see* HONDA, M.
KUFLIK, E.G. *see* SUHONEN, R.
KUIJPERS, A.L.A., SCHALKWIJK, J., RULO, H.F.C., PEPERKAMP, J.J.A., VAN DE KERKHOF, P.C.M. & DE JONG, E.M.G.J. Extremely low levels of epidermal skin-derived antileucoproteinase/elafin in a patient with impetigo

herpetiformis, 123
KUKITA, A. *see* ITAMI, A.
KUMAR, S. *see* BHUSHAN, M.
KUNTZ, J.L. *see* MICHEL, C.
KUNZELMANN, K-H. *see* WÖRLE, B.
KUO, T.T. *see* CHUANG, Y.H.
KUT, C. *see* VENENCIE, P.Y.
KÜTTING, B., BÖHM, M., LUGER, T.A. & BONSMANN, G. Oropharyngeal lichen planus associated with interferon-α treatment for mycosis fungoides: a rare side-effect in the therapy of cutaneous lymphomas, 836
KUTZNER, H. *see* HERBST, H.
KWON, O-S. *see* CHO, K-H.

LACOUR, J.P. *see* BOULINGUEZ, S.
LAGLENNE, S. *see* DESCAMPS, V.
LAING, R.B.S. *see* MACKENZIE, A.R.
LAM, W.Y. *see* TANG, W.Y.M.
LANDA, N. *see* VICENTE-CALLEJA, J.M.
LANDTHALER, M. *see* BOGENRIEDER, T.
LANE, E.B. *see* MELLERIO, J.E.
LANIGAN, S.W. Acquired port wine stains: clinical and psychological assessment and response to pulsed dye laser therapy, 86
LANIGAN, S.W. *see* KATUGAMPOLA, G.A.
LANSDOWN, A.B.G., SAMPSON, B., LAUPATTARAKASEM, P. & VUTTIVIROJANA, A. Silver aids healing in the sterile skin wound: experimental studies in the laboratory rat, 728
LAUD, P.W. *see* ZVULUNOV, A.
LAUGIER, J-P.K. *see* ALE, S.I.
LAUPATTARAKASEM, P. *see* LANSDOWN, A.B.G.
LAURET, PH. *see* GHOHESTANI, R.
LE POOLE, I.C., VAN DEN WIJNGAARD, R.M.J.G.J., WESTERHOF, W. & DAS, P.K. Tenascin is overexpressed in vitiligo lesional skin and inhibits melanocyte adhesion, 171
LEAPER, D.J. *see* TARLTON, J.F.
LEE, A-Y. *see* YANG, S.G.
LEE, I-J. *see* CHANG, S.N.
LEE, J.Y-Y. *see* WANG, C-K.
LEEMING, J.P., SANSOM, J.E. & BURTON, J.L. Susceptibility of *Malassezia furfur* subgroups to terbinafine, 764
LEIGH, I.M. *see* MELLERIO, J.E.
LEIGH, I.M. *see* WESTGATE, G.E.
LEMARCHAND-VENENCIE, F. *see* CAUX, F.
LEROY, T. *see* DE BROUWER, B.
LILIC, D. & CARMICHAEL, A.J. Cutaneous vasculitis with partial C4 deficiency responsive to dapsone, 476
LIM, H.W. *see* MEOLA, T.
LIMÓN, A. *see* CURCÓ, N.
LISTER, R.K., PERRY, J.D. & CERIO, R. Pityriasis rubra pilaris and a seronegative polyarthritis, 318
LIU, D., COLOE, S., BAIRD, R. & PEDERSEN, J. Molecular determination of dermatophyte fungi using the arbitrarily primed polymerase chain reaction, 351
LLUCIÀ, M. *see* CURCÓ, N.
LO, J.Y.C. *see* TANG, W.Y.M.
LOK, C. *see* ROBERT, C.
LONG, C.C. *see* BOURKE, J.F.
LOSADA, A. *see* PEREIRO JR, M.
LOUGHREY, M.B., IRVINE, A.D., GIRDWOOD, R.W.A. & MCMILLAN, J.C. Cutaneous larva migrans: the case for routine oral treatment, 155
LOZANO, M. *see* YANGUAS, I.
LUCKE, T., FALLOWFIELD, M. & MCHENRY, P. Idiopathic calcinosis cutis of the penis, 1025
LUCKE, T.W., HOLE, D.J. & MACKIE, R.M. An audit of the completeness of non-melanoma skin cancer registration in Greater Glasgow, 761
LUGER, T.A. *see* KÜTTING, B.
LYNDE, C.W. *see* GUPTA, A.K.

MACFARLANE, A.W. Human orf complicated by bullous pemphigoid, 656
MACKENZIE, A.R., LAING, R.B.S. & SMITH, C.C. Recurrent erythema multiforme following three different infections: is genetic predisposition more important than the infectious stimulus?, 320
MACKIE, R.M. *see* LUCKE, T.W.
MACKIE, R.M. *see* MOSELEY, H.
MAGRINI, F. *see* PERIS, K.
MAIBACH, H.I. *see* ALE, S.I.
MAIN, C.J. *see* FORTUNE, D.G.
MALLON, E. *see* NEWTON, J.N.
MALLON, E., POWELL, S., MORTIMER, P. & RYAN, T.J. Evidence for altered cell-mediated immunity in postmastectomy lymphoedema, 928
MANABE, M. *see* ISHIDA-YAMAMOTO, A.
MANCUSO, G., FANTI, P.A. & BERDONDINI, R.M. Nail changes as the only skin abnormality in myeloma-associated systemic amyloidosis, 471
MARÉCHAL, S. *see* HAFTEK, M.
MARKS, R. *see* YEATMAN, J.M.
MARREN, P. *see* WAKELIN, S.H.
MARTIN, J.L. *see* SMITH, K.J.
MARTINSSON, T. *see* SWANBECK, G.
MARUYAMA, M., MIYAUCHI, S. & HASHIMOTO, K. Massive cutaneous mucinosis associated with systemic lupus erythematosus, 450
MASTROIANNI, A. *see* D'AURIA, L.
MASUDA, H. *see* NAGATA, M.
MATHESON, L.M. *see* KAVANAGH, G.M.
MATSUURA, K., UMEBAYASHI, Y. & OTSUKA, F. Computed tomography reveals thickened subcutaneous tissue in scleroedema, 1015
MAURICE, P.D.L. *Tropaeolum majus* and contact dermatitis, 661
MAYOR, M. *see* RUBIO, F.A.
MAYSER, P., HAZE, P., PAPAVASSILIS, C., PICKEL, M., GRUENDER, K. & GUÉHO, E. Differentiation of *Malassezia*

species: selectivity of Cremophor EL, castor oil and ricinoleic acid for *M. furfur*, 208
MAZZATENTA, C. *see* MIRACCO, C.
MAZZATENTA, C., GIORGINO, G., RUBEGNI, P., DE ALOE, G. & FIMIANI, M. Solid persistent facial oedema (Morbihan's disease) following rosacea, successfully treated with isotretinoin and ketotifen, 1020
MCELWEE, K.J., RUSHTON, D.H., TRACHY, R. & OLIVER, R.F. Topical FK506: a potent immunotherapy for alopecia areata? Studies using the Dundee experimental bald rat model, 491
MCGEOWN, C. *see* GOULDEN, V.
MCGRATH, J.A. *see* MELLERIO, J.E.
MCGREGOR, J. *see* BILSLAND, D.
MCHENRY, P. *see* LUCKE, T.
MCKENNA, K.E. & ROBINSON, J. The dapsone hypersensitivity syndrome occurring in a patient with dermatitis herpetiformis, 657
MCKENZIE, R.C. *see* SZEPIETOWSKI, J.C.
MCLEAN, W.H.I. *see* MELLERIO, J.E.
MCMILLAN, J.C. *see* LOUGHREY, M.B.
MCMILLAN, J.R. *see* MELLERIO, J.E.
MCQUEEN, A. *see* URCELAY, M.L.
MEHRAVARAN, M., KEMÉNY, L., HUSZ, S., KOROM, I., KISS, M. & DOBOZY, A. Pyodermatitis–pyostomatitis vegetans, 266
MEINGASSNER, J.G., GRASSBERGER, M., FARHNGRUBER, H., MOORE, H.D., SCHUURMAN, H. & STÜTZ, A. A novel anti-inflammatory drug, SDZ ASM 981, for the topical and oral treatment of skin diseases: *in vivo* pharmacology, 568
MELLERIO, J.E., SMITH, F.J.D., MCMILLAN, J.R., MCLEAN, W.H.I., MCGRATH, J.A., MORRISON, G.A.J., TIERNEY, P., ALBERT, D.M., WICHE, G., LEIGH, I.M., GEDDES, J.R., LANE, E.B., UITTO, J. & EADY, R.A.J. Recessive epidermolysis bullosa simplex associated with plectin mutations: infantile respiratory complications in two unrelated cases, 898
MEOLA, T., SANCHEZ, M., LIM, H.W., BUCHNESS, M.R. & SOTER, N.A. Chronic actinic dermatitis associated with human immunodeficiency virus infection, 431
MESSENGER, A.G. *see* BIRCH-MACHIN, M.A.
MEULI, C. *see* BÖNI, R.
MEURER, M. *see* WÖRLE, B.
MEYBECK, A. *see* SERMADIRAS, S.
MEYER, J. *see* BÖNI, R.
MEYER-INGOLD, W. *see* WLASCHEK, M.
MEYERS, S.W. *see* ROBINOWITZ, B.N.
MICHAILOVA, J.I. *see* BALABANOVA, M.B.
MICHEL, C., CRIBIER, B., SIBILIA, J., KUNTZ, J.L. & GROSSHANS, E. Nail abnormalities in rheumatoid arthritis, 958
MIHARA, M. *see* IWASAKI, K.
MIHARA, M. *see* MIYAMOTO, T.
MIHARA, Y. *see* MIYAMOTO, T.
MIRACCO, C., RUBEGNI, P., DE ALOE, G., D'ASCENZO, G., MAZZATENTA, C., DE SANTI, M.M. & FIMIANI, M. Extracorporeal photochemotherapy induces apoptosis of infiltrating lymphoid cells in patients with mycosis fungoides in early stages. A quantitative histological study, 549
MISERY, L. *see* GAUDILLÈRE, A.
MISERY, L. Skin, immunity and the nervous system, 843
MITRANI-ROSENBAUM, S. *see* HODAK, E.
MITSUI, S., OHUCHI, A., HOTTA, M., TSUBOI, R. & OGAWA, H. Genes for a range of growth factors and cyclin-dependent kinase inhibitors are expressed by isolated human hair follicles, 693
MIYACHI, Y. *see* ENDO, Y.
MIYACHI, Y. *see* ISHIKAWA, O.
MIYACHI, Y. *see* NAGAI, Y.
MIYACHI, Y. *see* OKADA, K.
MIYAMOTO, T., IWASAKI, K., MIHARA, Y., HAGARI, Y. & MIHARA, M. Lymphocytoma cutis induced by cobalt, 469
MIYAMOTO, T., KOBAYASHI, T., HAGARI, Y. & MIHARA, M. The value of genotypic analysis in the assessment of cutaneous plasmacytomas, 418
MIYAUCHI, S. *see* MARUYAMA, M.
MIYAZONO, K. *see* OKOCHI, H.
MOORE, H.D. *see* MEINGASSNER, J.G.
MOORE, K., RUGE, F. & HARDING, K.G. T lymphocytes and the lack of activated macrophages in wound margin biopsies from chronic leg ulcers, 188
MOREL, P. *see* CORDOLIANI, F.
MORGAN, J.M., NAISBY, G.P. & CARMICHAEL, A.J. Cutis marmorata telangiectatica congenita with hypoplasia of the right iliac and femoral veins, 119
MORRIS, P.J. *see* GOOPTU, C.
MORRISON, G.A.J. *see* MELLERIO, J.E.
MORTIMER, P. *see* MALLON, E.
MOSELEY, H. & MACKIE, R.M. Ultraviolet B radiation was increased at ground level in Scotland during a period of ozone depletion, 101
MUCHENBERGER, S., SCHÖPF, E. & SIMON, J.C. The combination of oral acitretin and bath PUVA for the treatment of severe psoriasis, 587
MÜLLER, B. *see* BÖNI, R.
MUNRO, C. *see* BIRCH-MACHIN, M.A.
MURAKAMI, H. *see* HASHIMOTO, T.
MURPHY, M., WIEHE, P. & BARNES, L. Silica granuloma: another cause of tennis elbow, 477
MURRAY, J.C. *see* KAVANAGH, G.M.M.
MUSCARDIN, L. *see* PERIS, K.
MUTASIM, D.F. *see* PLOYSANGAM, T.

NAEYAERT, J-M. *see* DEROO, M.
NAGAI, K. *see* ITAMI, A.
NAGAI, Y., OHNO, Y., ISHIKAWA, O. & MIYACHI, Y. Cellular neurothekeoma on the lower lip, 314
NAGATA, M. *see* KISHIMOTO, S.
NAGATA, M., IWASAKI, T., MASUDA, H. & SHIMIZU, H. Non-lethal junctional epidermolysis bullosa in a dog, 445

NAGORE, E., TORRELO, A., GONZÁLEZ-MEDIERO, I. & ZAMBRANO, A. Livedoid skin necrosis (Nicolau syndrome) due to triple vaccine (DTP) injection, 1030
NAGY, F. *see* GYULAI, R.
NAGY, S. *see* GYULAI, R.
NAIDOO, D.K. *see* DAWE, R.S.
NAISBY, G.P. *see* MORGAN, J.M.
NAKAGAWA, T., SASAKI, M., ISHIHAMA, Y. & TAKAIWA, T. Reinfection with lymphocutaneous sporotrichosis, 834
NAKAMURA, Y. *see* KAWADA, A.
NANCARROW, M.J. *see* BATES, E.J.
NANDWANI, R. *see* UTHAYAKUMAR, S.
NASHIRO, K. *see* OKOCHI, H.
NAVRATIL, E. *see* DESCAMPS, V.
NAYAGAM, A.T. *see* UTHAYAKUMAR, S.
NEUMANN, H.A.M. *see* VERHAEGH, M.E.J.M.
NEWTON, J.N., MALLON, E., KLASSEN, A., RYAN, T.J. & FINLAY, A.Y. The effectiveness of acne treatment: an assessment by patients of the outcome of therapy, 563
NGUYEN, T.D., SISKIND, V., GREEN, L., FROST, C. & GREEN, A. Ultraviolet radiation, melanocytic naevi, and their dose–response relationship, 91
NIBBERING, P.H., THIO, B., BEZEMER, A.C., BEIJERSBERGEN, R.L. & ZOMERDIJK, T.P.L. Intracellular signalling by binding sites for the antipsoriatic agent monomethylfumarate on human granulocytes, 65
NICOLAS, J.F. *see* GHOHESTANI, R.
NICOT, T. *see* BOULINGUEZ, S.
NIEMCZYK, U.M., ZOLLNER, T.M., WOLTER, M., STAIB, G. & KAUFMANN, R. The transformation of pityriasis lichenoides chronica into parakeratosis variegata in an 11-year-old girl, 983
NIGHTINGALE, K.J. & DAVIES, M.G. Acquired perforating dematosis showing the Koebner phenomenon, 472
NIRUNSUKSIRI, W. *see* KAM, E.
NISHIKAWA, T. *see* HASHIMOTO, T.
NISHIKAWA, T. *see* SALMHOFER, W.
NISHIMOTO, S., INAGI, R., YAMANISHI, K., HOSOKAWA, K., KAKIBUCHI, M. & YOSHIKAWA, K. Prevalence of human herpesvirus-8 in skin lesions, 179
NISHIOKA, K. *see* KAWADA, A.
NISHIOKA, K. *see* YAMAMOTO, T.
NITTA, Y. Reply, 651
NITTA, Y. *see* TAKAMA, H.
NOUSARI, H.C. *see* ALLBRITTON, J.I.
NOVELLI, M. *see* SAVOIA, P.

O'GUIN, W.M. *see* ISHIDA-YAMAMOTO, A.
O'SULLIVAN, T.M. *see* FORTUNE, D.G.
OGAWA, H. *see* MITSUI, S.
OHNO, Y. *see* NAGAI, Y.
OHUCHI, A. *see* MITSUI, S.
OIKARINEN, A. *see* AUTIO, P.
OIKARINEN, A. *see* SAVOLAINEN, L.
OKADA, K., KONDO, A., ISHIKAWA, O. & MIYACHI, Y. Histidinohydroxylysinonorleucine, a trifunctional cross-link of type 1 collagen, in sun-exposed and sun-protected human skin, 1014
OKOCHI, H., KATO, M., NASHIRO, K., YOSHIE, O., MIYAZONO, K. & FURUE, M. Expression of tetra-spans transmembrane family (CD9, CD37, CD53, CD63, CD81 and CD82) in normal and neoplastic human keratinocytes: an association of CD9 with $\alpha 3\beta 1$ integrin, 856
OLEAGA, J.M. *see* YANGUAS, I.
OLIVARES, C. *see* ALCONCHEL, M.D.
OLIVER, R.F. *see* MCELWEE, K.J.
ONG, B.H. *see* TAY, Y.K.
ONORATI, M.T. *see* PERIS, K.
ORESAJO, C. *see* BERARDESCA, E.
OROZCO, L.C. *see* RODRÍGUEZ, G.
ORTEGÓN, M. *see* RODRÍGUEZ, G.
ORTON, D.I. & GEORGE, S.A. Subcorneal pustular dermatosis responsive to narrow-band (TL-01) UVB therapy, 149
ORTONNE, J.P. *see* BOULINGUEZ, S.
OSTLERE, L.S. *see* GORDON, D.J.
OTSUKA, F. *see* MATSUURA, K.
ÖZGÜROĞLU, E., BÜYÜLBABANI, N., ÖZGÜROĞLU, M. & BAYKAL, C. Generalized telangiectasia as the major manifestation of angiotropic (intravascular) lymphoma, 422
ÖZGÜROĞLU, M. *see* ÖZGÜROĞLU, E.
ÖZKAYA-BAYAZIT, E. & BAYKAL, C. Trimethoprim-induced linear fixed drug eruption, 1028

PAEZ, A.M. *see* CREUS, L.
PAGNONI, A. & KLIGMAN, A.M. Ultraviolet photography to identify early photodamage in young children, 321
PAIN, C. *see* BESSOU, S.
PALACIO, S., SCHMITT, D. & VIAC, J. Contact allergens and sodium lauryl sulphate upregulate vascular endothelial growth factor in normal keratinocytes, 540
PANSKY, B. *see* SHELLEY, W.B.
PAPAVASSILIS, C. *see* MAYSER, P.
PARAMIO, J.M. & JORCANO, J.L. Role of protein kinases in the *in vitro* differentiation of human epidermal HaCaT cells, 44
PARK, K-C. *see* CHO, K-H.
PARK, M-H. *see* CHO, K-H.
PARK, W-H. *see* CHANG, S.N.
PARKES, I.R., ZAKI, I., STEVENS, A., DAVIES, J.M. & ALLEN, B.R. Graft-versus-host disease-like eruption in a patient with non-Hodgkin's lymphoma, 137
PARSLEW, R. & VERBOV, J.L. Bullous pemphigoid at sites of trauma, 825
PARSLEW, R. *see* HALPERN, S.M.
PEACHEY, R.D. *see* KAVANAGH, G.M.M.
PEDERSEN, J. *see* LIU, D.
PELLAT, B. *see* VENENCIE, P.Y.
PEÑA, J.M. *see* HERRANZ, P.
PEÑA, J.M. *see* ROBAYNA, M.G.

PEÑA, P. *see* ROBAYNA, M.G.
PENN, N.M. *see* BATES, E.J.
PEPERKAMP, J.J.A. *see* KUIJPERS, A.L.A.
PEREIRO JR, M., LOSADA, A. & TORIBIO, J. Adherence of *Candida albicans* strains isolated from AIDS patients. Comparison with pathogenic yeasts isolated from patients without HIV infection, 76
PERICIN, M. *see* TRÜEB, R.M.
PERIS, K., ONORATI, M.T., KELLER, G., MAGRINI, F., DONATI, P., MUSCARDIN, L., HÖFLER, H. & CHIMENTI, S. Widespread microsatellite instability in sebaceous tumours of patients with the Muir–Torre syndrome, 356
PERRY, J.D. *see* LISTER, R.K.
PETERS, J.H. *see* FAYYAZI, A.
PEUS, D. & PITTELKOW, M.R. Resistance to activated protein C: a common anticoagulant deficiency in patients with venous leg ulceration, 322
PEUS, D. *see* WLASCHEK, M.
PEYRÍ, J. *see* CURCÓ, N.
PHILPOTT, M.P. *see* WESTGATE, G.E.
PICKEL, M. *see* MAYSER, P.
PIETRAVALLE, M. *see* D'AURIA, L.
PIETTE, F. *see* DELAPORTE, E.
PINQUIER, L. *see* ROBERT, C.
PITTELKOW, M.R. *see* GIBSON, G.E.
PITTELKOW, M.R. *see* PEUS, D.
PIZARRO, A. *see* RUBIO, F.A.
PLEWIG, G. *see* BIEDERMANN, T.
PLEWIG, G. *see* JANSEN, T.
PLEWIG, G. *see* WÖRLE, B.
PLOYSANGAM, T. & MUTASIM, D.F. Follicular psoriasis: an under-reported entity. A report of five cases, 988
POWELL, S. *see* MALLON, E.
PRICE, M. *see* GOOPTU, C.
PRICE, M.L. *see* WOOLLONS, A.
PROKSCH, E. *see* ENGELKE, M.
PROST, C. *see* CAUX, F.

QUAGLINO, P. *see* SAVOIA, P.

RAASCH, B. *see* TRONNIER, M.
RABOOBEE, N. *see* GUPTA, A.K.
RADZUN, H.J. *see* FAYYAZI, A.
RAMÓN-FABA, P. & BAS-BERNAL, A. Basal cell carcinoma in the lung of a patient with naevoid basal cell carcinoma syndrome: metastatic or primary?, 313
RATINAUD, M.H. *see* SERMADIRAS, S.
RATNAVEL, R.C. & GRIFFITHS, W.A.D. The inherited palmoplantar keratodermas, 485
REES, A.M. *see* KATUGAMPOLA, G.A.
REES, J.L. *see* BIRCH-MACHIN, M.A.
REILLY, D.M., FERDINANDO, D., JOHNSTON, C., SHAW, C., BUCHANAN, K.D. & GREEN, M.R. The epidermal nerve fibre network: characterization of nerve fibres in human skin by confocal microscopy and assessment of racial variations, 163
REINHOLD, U., HARTL, C., GERDSEN, R. & KREYSEL, H.W. Treatment of aquagenic pruritus using recombinant interferon-α, 324
REQUENA, L. *see* VIDAL, S.
RICHARDSON, M.D. *see* GUPTA, G.
RIEGGER, G.A.J. *see* BOGENRIEDER, T.
RIGOPOULOS, D., KATOULIS, A.C., STAVRIANEAS, N.G., SBOUKIS, D., CHRISTOFIDOU, E. & GEORGALA, S. Acquired progressive kinking of the hair in a prepubertal boy, 832
RING, J. *see* BOECK, K.
RING, J. *see* DARSOW, U.
RING, J. *see* SCHÄFER, T.
RISTELI, J. *see* AUTIO, P.
ROBAYNA, G. *see* RUBIO, F.A.
ROBAYNA, M.G., HERRANZ, P., RUBIO, F.A., PEÑA, P., PEÑA, J.M., GONZÁLEZ, J. & CASADO, M. Destructive herpetic whitlow in AIDS: report of three cases, 812
ROBERT, C., SCHOENLAUB, P., AVRIL, M-F., LOK, C., GROSSHANS, E., VALEYRE, D., BOURGEOIS, C., PINQUIER, L., DUBERTRET, L. & GUILLAUME, J-C. Malignant melanoma and granulomatosis, 787
ROBIN, H. *see* CAUX, F.
ROBINOWITZ, B.N., TOWERY, D.S., MEYERS, S.W., DURICK, W.J. & TAIRA, J.W. Successful treatment of epidermolysis bullosa acquisita with mesalazine, 154
ROBINSON, D.J. *see* COLLINS, P.
ROBINSON, J. *see* MCKENNA, K.E.
RODRÍGUEZ, G., ORTEGÓN, M., CAMARGO, D. & OROZCO, L.C. Iatrogenic *Mycobacterium abscessus* infection: histopathology of 71 patients, 214
RODRÍGUEZ-CUARTERO, A. & GARCÍA-VERA, E. Pseudoxanthoma elasticum: a study of urinary glycosaminoglycan levels in two cases, 473
ROGERS, S. *see* KIRBY, B.
ROMAGOSA, V. *see* CURCÓ, N.
ROMERO, R. *see* ROSS, E.V.
RÖNING, J. *see* SAVOLAINEN, L.
ROSS, E.V., ROMERO, R., KOLLIAS, N., CRUM, C. & ROX ANDERSON, R. Selectivity of protoporphyrin IX fluorescence for condylomata after topical application of 5-aminolaevulinic acid: implications for photodynamic treatment, 736
ROSS, J. *see* GOOPTU, C.
ROSSMANN-RINGDAHL, I. *see* VEIEN, N.K.
ROX ANDERSON, R. *see* ROSS, E.V.
RÜBBEN, A., BARON, J.M. & GRUSSENDORF-CONEN, E-I. Routine detection of herpes simplex virus and varicella zoster virus by polymerase chain reaction reveals that initial herpes zoster is frequently misdiagnosed as herpes simplex, 259
RUBEGNI, P. *see* MAZZATENTA, C.
RUBEGNI, P. *see* MIRACCO, C.
RUBIO, F.A. *see* ROBAYNA, M.G.

RUBIO, F.A., PIZARRO, A., ROBAYNA, G., MAYOR, M., BURON, I., CONRERAS, F. & CASADO, M. Eyelid metastasis as the presenting sign of recurrent carcinoma of the breast, 1026
RUDOLPH, P. *see* TRONNIER, M.
RUFFIEUX, PH. *see* STUDER-SACHSENBERG, E.M.
RUGE, F. *see* MOORE, K.
RULO, H.F.C. *see* KUIJPERS, A.L.A.
RUSHTON, D.H. *see* MCELWEE, K.J.
RUSSELL JONES, R. *see* BURROWS, N.P.
RYAN, T.J. *see* MALLON, E.
RYAN, T.J. *see* NEWTON, J.N.
RYBOJAD, M. *see* CORDOLIANI, F.

SABROE, R.A., KENNEDY, C.T.C. & ARCHER, C.B. The effects of topical doxepin on responses to histamine, substance P and prostaglandin E in human skin, 386
SAIJO, S. *see* HONDA, M.
SALLERAS, M. *see* CREUS, L.
SALMHOFER, W., KAWAHARA, Y., SOYER, H.P., KERL, H., NISHIKAWA, T. & HASHIMOTO, T. A subepidermal blistering disease with histopathological features of dermatitis herpetiformis and immunofluorescence characteristics of bullous pemphigoid: a novel subepidermal blistering disease or a variant of bullous pemphigoid?, 599
SAMPSON, B. *see* LANSDOWN, A.B.G.
SAMUELSSON, L. *see* SWANBECK, G.
SÁNCHEZ YUS, E. *see* VIDAL, S.
SANCHEZ, M. *see* MEOLA, T.
SANDER, C. *see* HERBST, H.
SANSOM, J.E. *see* LEEMING, J.P.
SANZ, A. *see* VIDAL, S.
SARAUX, J-L. *see* DESCAMPS, V.
SASAKI, M. *see* NAKAGAWA, T.
SATO, S. *see* FUJIMOTO, M.
SATOH, S., SEISHIMA, M, IZUMI, T., ITO, A., KAMIYA, H. & KITAJIMA, Y. A vesicular variant of bullous pemphigoid with autoantibodies against unidentified 205- and 150-kDa proteins at the basement membrane zone, 768
SAURAT, J.-H. *see* STUDER-SACHSENBERG, E.M.
SAVOIA, P., FIERRO, M.T., NOVELLI, M., QUAGLINO, P., VERRONE, A., GEUNA, M. & BERNENGO, M.G. CD56-positive cutaneous lymphoma: a poorly recognized entity in the spectrum of primary cutaneous disease, 966
SAVOLAINEN, L., KONTINEN, J., RÖNING, J. & OIKARINEN, A. Application of machine vision to assess involved surface in patients with psoriasis, 395
SBOUKIS, D. *see* RIGOPOULOS, D.
SCHÄFER, B.W. *see* BÖNI, R.
SCHÄFER, T., DOCKERY, D., KRÄMER, U., BEHRENDT, H. & RING, J. Experiences with the severity scoring of atopic dermatitis in a population of German pre-school children, 558
SCHALKWIJK, J. *see* KUIJPERS, A.L.A.
SCHALLER, M. *see* WÖRLE, B.
SCHALLREUTER, K.U. *see* ELWARY, S.M.A.
SCHAREIN, E. *see* DARSOW, U.
SCHARFFETTER-KOCHANEK, K. *see* WLASCHEK, M.
SCHIFFNER, R. *see* BOGENRIEDER, T.
SCHIND, L. *see* SCHINDL, A.
SCHINDL, A., SCHINDL, M. & SCHIND, L. Phototherapy with low intensity laser irradiation for a chronic radiation ulcer in a patient with lupus erythematosus and diabetes mellitus, 840
SCHINDL, M. *see* SCHINDL, A.
SCHIRREN, C.G. *see* BIEDERMANN, T.
SCHMIDT, T. *see* BOECK, K.
SCHMITT, D. *see* GAUDILLÈRE, A.
SCHMITT, D. *see* HAFTEK, M.
SCHMITT, D. *see* PALACIO, S.
SCHOENLAUB, P. *see* ROBERT, C.
SCHOMBERG, K. *see* ALLEN, J.
SCHÖPF, E. *see* MUCHENBERGER, S.
SCHUPP, G. *see* BOEHM, I.
SCHUURMAN, H. *see* MEINGASSNER, J.G.
SCULLY, C. Bullous pemphigoid localized to the mouth, 825
SECKIN, D., HÝZEL, N., DEMIRHAN, B. & TUNCAY, C. The diagnostic value of polymerase chain reaction in erythema induratum of Bazin, 1011
SEISHIMA, M. *see* SATOH, S.
SELLARS, L. *see* SEUKERAN, D.
SEO, S-J. *see* CHANG, S.N.
SERMADIRAS, S., DUMAS, M., JOLY-BERVILLE, R., BONTÉ, F., MEYBECK, A. & RATINAUD, M.H. Expression of Bcl-2 and Bax in cultured normal human keratinocytes and melanocytes: relationship to differentiation and melanogenesis, 883
SERRE, G. *see* HAFTEK, M.
SERUP, J. *see* FULLERTON, A.
SERVITJE, O. *see* CURCÓ, N.
SETTERFIELD, J., CHALLACOMBE, S.J. & BLACK, M.M. Bullous pemphigoid localized to the mouth, 825
SEUKERAN, D., FLETCHER, S., SELLARS, L. & VESTEY, J.P. Sudden deepening of pigmentation during haemodialysis due to severe haemolysis, 997
SHANKLAND, G.S. *see* GUPTA, G.
SHARPE, G.R. *see* HALPERN, S.M.
SHAW, C. *see* REILLY, D.M.
SHAW, S. *see* WAKELIN, S.H.
SHEEHAN-DARE, R.A. *see* COLLINS, P.
SHELLEY, E.D. *see* SHELLEY, W.B.
SHELLEY, W.B., SHELLEY, E.D. & PANSKY, B. The transverse nasal line: an embryonic fault line, 963
SHERWOOD, R.A. *see* ABRAHA, H.D.
SHIBAGAKI, R. *see* KISHIMOTO, S.
SHIMIZU, H. *see* NAGATA, M.
SHIRI, J. *see* AMICHAI, B.
SHUSTER, S. *see* BLACKWELL, D.
SHUTTLEWORTH, C.A. *see* CRAVEN, N.M.

SHUTTLEWORTH, C.A. *see* HAYNES, S.L.
SIBILIA, J. *see* MICHEL, C.
SIMON, J.C. *see* MUCHENBERGER, S.
SIMON, M. *see* HAFTEK, M.
SISKIND, V. *see* NGUYEN, T.D.
SKELTON, H.G. *see* SMITH, K.J.
SMITH, C.C. *see* MACKENZIE, A.R.
SMITH, F.J.D. *see* MELLERIO, J.E.
SMITH, K.J., SKELTON, H.G., MARTIN, J.L., HURST, C.G. & HACKLEY JR, B.E. CO laser debridement of sulphur mustard (bis-2-chloroethyl sulphide) induced cutaneous lesions accelerates production of a normal epidermis with elimination of cytological atypia, 590
SNOWDEN, J.A. & HEATON, D.C. Development of psoriasis after syngeneic bone marrow transplant from psoriatic donor: further evidence for adoptive autoimmunity, 130
SOLA, M.A. *see* CREUS, L.
SOLOETA, R. *see* YANGUAS, I.
SOMA, Y. *see* FUJIMOTO, M.
SORURI, A. *see* FAYYAZI, A.
SOTER, N.A. *see* MEOLA, T.
SOUCHIER, C. *see* GAUDILLÈRE, A.
SOYER, H.P. *see* SALMHOFER, W.
SPULS, P.I., WITKAMP, L., BOSSUYT, P.M.M. & BOS, J.D. A systematic review of five systemic treatments for severe psoriasis, 943
STABLES, G.I. *see* COLLINS, P.
STAIB, G. *see* NIEMCZYK, U.M.
STAVRIANEAS, N.G. *see* KALOTERAKIS, A.
STAVRIANEAS, N.G. *see* RIGOPOULOS, D.
STEELE, M.C. & DIFFEY, B.L. A disposable face mask for PUVA and ultraviolet phototherapy, 151
STEINERT, H. *see* BÖNI, R.
STEPHENSON, A.M. *see* BIRCH-MACHIN, M.A.
STEVENS, A. *see* PARKES, I.R.
STONE, N., GILLETT, P. & BURGE, S. Breast abscess due to *Corynebacterium striatum*, 623
STRINGER, M.R. *see* COLLINS, P.
STUDER-SACHSENBERG, E.M., RUFFIEUX, PH. & SAURAT, J.-H. Cellulitis after hip surgery: long-term follow-up of seven cases, 133
STÜTZ, A. *see* MEINGASSNER, J.G.
SUHONEN, R. & KUFLIK, E.G. Venous lakes treated by liquid nitrogen cryosurgery, 1018
SUMMERBELL, R.C. *see* GUPTA, A.K.
SURLÈVE-BAZEILLE, J.E. *see* BESSOU, S.
SUZUKI, T. *see* HONDA, M.
SWANBECK, G., INEROT, A., MARTINSSON, T., ENERBÄCK, C., ENLUND, F., SAMUELSSON, L., YHR, M. & WAHLSTRÖM, J. Genetic counselling in psoriasis: empirical data on psoriasis among first-degree relatives of 3095 psoriatic probands, 939
SZEPIETOWSKI, J.C., MCKENZIE, R.C., KEOHANE, S.G., ALDRIDGE, R.D. & HUNTER, J.A.A. Atopic and non-atopic individuals react to nickel challenge in a similar way. A study of the cytokine profile in nickel-induced contact dermatitis, 195

TADA, J. *see* YAMASAKI, H.
TAGAMI, H. *see* HONDA, M.
TAÏEB, A. *see* BESSOU, S.
TAIRA, J.W. *see* ROBINOWITZ, B.N.
TAKAIWA, T. *see* NAKAGAWA, T.
TAKAMA, H., TAMADA, Y., YANO, K., NITTA, Y. & IKEYA, T. Pitted keratolysis: clinical manifestations in 53 cases, 282
TAKATA, M., HATTA, N., TAKEHARA, K. & FUJIWARA, H. Absence of human herpesvirus-8 DNA in angiosarcomas and other skin tumours in immunocompetent patients, and in graft-versus-host-disease in the immunosuppressed recipients of bone marrow transplants, 156
TAKAYASU, S. *see* KATAGIRI, K.
TAKEHARA, K. *see* TAKATA, M.
TAKENAKA, H. *see* KISHIMOTO, S.
TAMADA, Y. *see* TAKAMA, H.
TAMAKI, K. *see* FUJIMOTO, M.
TAMAKI, T. *see* FUJIMOTO, M.
TAMURA, A. *see* ENDO, Y.
TAN, K.C. *see* TAY, Y.K.
TANEW, A. *see* DIRIDL, E.
TANG, W.Y.M., LO, J.Y.C., YUEN, M.K. & LAM, W.Y. Herpes simplex virus type 2 infection in a 5-year-old boy prsenting with recurrent chest wall vesicles and a possible history of herpes encephalitis, 440
TARLTON, J.F., VICKERY, C.J., LEAPER, D.J. & BAILEY, A.J. Postsurgical wound progression monitored by temporal changes in the expression of matrix metalloproteinase-9, 506
TAY, Y.K., TAN, K.C. & ONG, B.H. Papuloerythroderma of Ofuji and cutaneous T-cell lymphoma, 160
TÉTELIN, C. *see* DE BROUWER, B.
THIO, B. *see* NIBBERING, P.H.
THIRKILL, C.E. *see* BOECK, K.
THOMINE, E. *see* GHOHESTANI, R.
THWAITES, D.J. *see* KAVANAGH, G.M.
TIDMAN, N. *see* WESTGATE, G.E.
TIERNEY, P. *see* MELLERIO, J.E.
TOMIMORI-YAMASHITA, J., DEPS, P.D., ALMEIDA, D.R., ENOKIHARA, M.M.S.S., DE SEIXAS, M.-T. & FREYMÜLLER, E. Cutaneous manifestation of Chagas' disease after heart transplantation: successful treatment with allopurinol, 626
TOMKOVÁ, H., FUJIMOTO, W. & ARATA, J. Expression of bcl-2 antagonist bak in inflammatory and neoplastic skin diseases, 703
TORIBIO, J. *see* PEREIRO JR, M.
TORRELO, A. *see* NAGORE, E.
TOWERY, D.S. *see* ROBINOWITZ, B.N.
TRACHY, R. *see* MCELWEE, K.J.

TRATTNER, A. *see* HODAK, E.
TRAUTINGER, F. *see* BREIER, F.
TRON, F. *see* GHOHESTANI, R.
TRONNIER, M. *see* HERBST, H.
TRONNIER, M., RUDOLPH, P., KÖSER, T., RAASCH, B. & BRINCKMANN, J. One single erythemagenic UV irradiation is more effective in increasing the proliferative activity of melanocytes in melanocytic naevi compared with fractionally applied high doses, 534
TRÜEB, R.M., PERICIN, M., KOHLER, E., BARANDUN, J. & BURG, G. Necrotizing granulomatosis of the breast, 799
TSUBOI, R. *see* MITSUI, S.
TSVIELI, R. *see* HODAK, E.
TUNCAY, C. *see* SECKIN, D.
TURNER, R. *see* BIRCH-MACHIN, M.A.
TURPEINEN, M. *see* AUTIO, P.

UITTO, J. *see* MELLERIO, J.E.
UMBERT, P. *see* CREUS, L.
UMEBAYASHI, Y. *see* MATSUURA, K.
UMEDA, T. *see* KAWADA, A.
URCELAY, M.L., MCQUEEN, A. & DOUGLAS, W.S. Cicatricial pemphigoid treated with intravenous immunoglobulin, 477
UTHAYAKUMAR, S., NANDWANI, R., DRINKWATER, T., NAYAGAM, A.T. & DARLEY, C.R. The prevalence of skin disease in HIV infection and its relationship to the degree of immunosuppresion, 595

VABRES, P. *see* CORDOLIANI, F.
VAHLQUIST, A. *see* GÅNEMO, A.
VALEYRE, D. *see* ROBERT, C.
VAN DE KERKHOF, P.C.M. *see* GLADE, C.P.
VAN DE KERKHOF, P.C.M. *see* KUIJPERS, A.L.A.
VAN DE KERKHOF, P.C.M. The Psoriasis Area and Severity Index (PASI) and alternative approaches for the assessment of severity: persisting areas of confusion, 661
VAN DEN WIJNGAARD, R.M.J.G.J. *see* LE POOLE, I.C.
VAN ERP, P.E.J. *see* GLADE, C.P.
VAN NESTE, D. *see* DE BROUWER, B.
VAN WEELDEN, H. *see* BILSLAND, D.
VARELTZIDES, A. *see* KALOTERAKIS, A.
VÁZQUEZ-DOVAL, F.J. *see* DE FELIPE, I.
VÁZQUEZ-DOVAL, F.J. *see* IGLESIAS ZAMORA, M.E.
VEBER, B. *see* DESCAMPS, V.
VEIEN, N.K., BJERKE, J.R., ROSSMANN-RINGDAHL, I. & JAKOBSEN, H.B. Once daily treatment of psoriasis with tacalcitol compared with twice daily treatment with calcipotriol. A double-blind trial, 581
VENENCIE, P.-Y. *see* CAUX, F.
VENENCIE, P.Y., BONNEFOY, A., GOGLY, B., GROULT, N., KUT, C., PELLAT, B., HORNEBECK, W. & GODEAU, G. Increased expression of gelatinases A and B by skin explants from patients with anetoderma, 517
VERBOV, J.L. *see* PARSLEW, R.
VERHAEGH, M.E.J.M., WEVER, P.C., NEUMANN, H.A.M. & HOEKZEMA, R. Immunohistochemical localization of granzyme B in peritumoral infiltrates of basal cell carcinoma, 1012
VERRONE, A. *see* SAVOIA, P.
VESTEY, J.P. *see* SEUKERAN, D.
VIAC, J. *see* PALACIO, S.
VICENTE, J. *see* DE FELIPE, I.
VICENTE-CALLEJA, J.M., AGUIRRE, A., LANDA, N., CRESPO, V., GONZÁLEZ-PÉREZ, R. & DÍAZ-PÉREZ, J.L. Acute generalized exanthematous pustulosis due to diltiazem: confirmation by patch testing, 837
VICKERY, C.J. *see* TARLTON, J.F.
VIDAL, S., SANZ, A., HERNÁNDEZ, B., SÁNCHEZ YUS, E., REQUENA, L. & BARAN, R. Subungual blue naevus, 1023
VIGNOLI, G.P. *see* BERARDESCA, E.
VIGNON-PENNAMEN, M.D. *see* CORDOLIANI, F.
VON DEN DRIESCH, P. Pyoderma gangrenosum: a report of 44 cases with follow-up, 1000
VON SCHULTHESS, G.K. *see* BÖNI, R.
VUTTIVIROJANA, A. *see* LANSDOWN, A.B.G.

WAHLSTRÖM, J. *see* SWANBECK, G.
WAINWRIGHT, N.J. *see* BILSLAND, D.
WAKELIN, S.H. *see* ALLEN, J.
WAKELIN, S.H., MARREN, P., YOUNG, E. & SHAW, S. Compositae sensitivity and chronic hand dermatitis in a seven-year-old boy, 289
WALL, S. *see* GOOPTU, C.
WALSH, M.Y. *see* ARMSTRONG, D.K.B.
WANG, C.M. *see* CHUANG, Y.H.
WANG, C.N. *see* CHUANG, Y.H.
WANG, C-K. & LEE, J.Y-Y. Monosymptomatic hypochondriacal psychosis complicated by self-inflicted skin ulceration, skull defect and brain abscess, 299
WATANABE, H. *see* ISHIKAWA, O.
WATANABE, S. *see* KAWADA, A.
WATSON, R.E.B. *see* CRAVEN, N.M.
WEIDENTHALER-BARTH, B. *see* KÜCHLER, A.
WEISS, J. *see* HERBST, R.A.
WELLER, R. Nitric oxide – a newly discovered chemical transmitter in human skin, 665
WESTERA, G. *see* BÖNI, R.
WESTERHOF, W. *see* LE POOLE, I.C.
WESTGATE, G.E., TIDMAN, N., DE BERKER, D., BLOUNT, M.A., PHILPOTT, M.P. & LEIGH, I.M. Characterization of LHTric-1, a new mono-specific monoclonal antibody to the trichocyte keratin Ha1, 24
WEVER, P.C. *see* VERHAEGH, M.E.J.M.
WHITTAM, L.R., HAY, R.J. & HUGHES, R.A.C. Eczematous reactions to human immune globulin, 481
WICHE, G. *see* MELLERIO, J.E.
WIEHE, P. *see* MURPHY, M.
WITKAMP, L. *see* SPULS, P.I.

WLASCHEK, M., PEUS, D., ACHTERBERG, V., MEYER-INGOLD, W. & SCHARFFETTER-KOCHANEK, K. Protease inhibitors protect growth factor activity in chronic wounds, 646
WOJNAROWSKA, F. *see* ALLEN, J.
WOJNAROWSKA, F. *see* GOOPTU, C.
WOLLENBERG, A. *see* WÖRLE, B.
WOLTER, M. *see* NIEMCZYK, U.M.
WONG, W.R. *see* CHUANG, Y.H.
WOOLLONS, A. & PRICE, M.L. Roaccuane and wax epilation: a cautionary tale, 839
WOOLLONS, A. *see* GOOPTU, C.
WOOLLONS, A., CLINGEN, P.H., PRICE, M.L., ARLETT, C.F. & GREEN, M.H.L. Induction of mutagenic DNA damage in human fibroblasts after exposure to artificial tanning lamps, 687
WÖRLE, B., WOLLENBERG, A., SCHALLER, M., KUNZELMANN, K-H., PLEWIG, G. & MEURER, M. Chronic ulcerative stomatitis, 262
WULF, H.C. *see* JEMEC, G.B.E.
WYATT, D.T. *see* ZVULUNOV, A.

YAMAGUCHI, T. *see* KATAGIRI, K.
YAMAMOTO, T. *see* KAWADA, A.
YAMAMOTO, T., KATAYAMA, I. & NISHIOKA, K. Expression of stem cell factor in basal cell carcinoma, 709
YAMAMOTO, T., KATAYAMA, I. & NISHIOKA, K. Increased plasma interleukin-6 in cutaneous plasmacytoma: the effect of intralesional steroid therapy, 631
YAMANISHI, K. *see* NISHIMOTO, S.
YAMASAKI, H., TADA, J., YOSHIOKA, T. & ARATA, J. Epidermolysis bullosa pruriginosa (McGrath) successfully controlled by oral cyclosporin, 308
YANG, S.G., HAN, K.H., CHO, K.H. & LEE, A-Y. Development of erythema nodosum in the course of oestrogen replacement therapy, 319
YANG, S-G. *see* CHO, K-H.
YANGUAS, I., GODAY, J.J., GONZÁLEZ-GÜEMES, M., OLEAGA, J.M., LOZANO, M. & SOLOETA, R. Spontaneous regression of Merkel cell carcinoma of the skin, 296
YANO, K. *see* TAKAMA, H.
YASUNO, H. *see* KISHIMOTO, S.
YAZAWA, N. *see* FUJIMOTO, M.
YEATMAN, J.M., KILKENNY, M. & MARKS, R. The prevalence of seborrhoeic keratoses in an Australian population: does exposure to sunlight play a part in their frequency?, 411
YHR, M. *see* SWANBECK, G.
YILMAZ, E. *see* ÇETIN, L.
YOEN NA, G. Herpes zoster in three healthy children immunized with varicella vaccine (Oka/Biken); the causative virus differed from vaccine strain on PCR analysis of the IV variable region (R5) and of a *Pst*I-site region, 255
YOSHIE, O. *see* OKOCHI, H.
YOSHIKAWA, K. *see* KUBO, A.
YOSHIKAWA, K. *see* NISHIMOTO, S.
YOSHIOKA, T. *see* YAMASAKI, H.
YOUNG, A.R. *see* BILSLAND, D.
YOUNG, E. *see* WAKELIN, S.H.
YUEN, M.K. *see* TANG, W.Y.M.

ZAKI, I. *see* BOURKE, J.F.
ZAKI, I. *see* PARKES, I.R.
ZAMBRANO, A. *see* NAGORE, E.
ZHOU, S. *see* ALLEN, J.
ZOLLNER, T.M. *see* NIEMCZYK, U.M.
ZOMERDIJK, T.P.L. *see* NIBBERING, P.H.
ZUBER, C. *see* HAFNER, J.
ZVULUNOV, A., WYATT, D.T., LAUD, P.W. & ESTERLY, N.B. Lack of effect of growth hormone therapy on the count and density of melanocytic naevi in children, 545